$00:00:00.160 \longrightarrow 00:00:01.920$ Funding for Yale Cancer Answers

NOTE Confidence: 0.93920827

 $00{:}00{:}01.920 \dashrightarrow 00{:}00{:}03.679$ is provided by Smilow Cancer

NOTE Confidence: 0.93920827

00:00:03.679 --> 00:00:04.180 Hospital.

NOTE Confidence: 0.9421493

00:00:06.160 --> 00:00:08.080 Welcome to Yale Cancer Answers

NOTE Confidence: 0.9421493

 $00:00:08.080 \longrightarrow 00:00:09.039$ with the director of the

NOTE Confidence: 0.9421493

00:00:09.039 --> 00:00:10.800 Yale Cancer Center, Doctor Eric Winer.

 $00:00:11.840 \longrightarrow 00:00:14.054$ Yale Cancer Answers features conversations

NOTE Confidence: 0.9935036

 $00:00:14.195 \longrightarrow 00:00:16.114$ with oncologists and specialists who

NOTE Confidence: 0.9935036

 $00:00:16.114 \longrightarrow 00:00:17.075$ are on the forefront of

NOTE Confidence: 0.9935036

 $00:00:17.075 \longrightarrow 00:00:18.454$ the battle to fight cancer.

NOTE Confidence: 0.9797093

00:00:19.074 --> 00:00:20.375 This week, it's a conversation

NOTE Confidence: 0.9797093

 $00:00:20.435 \longrightarrow 00:00:21.575$ about some of the decisions

NOTE Confidence: 0.9797093

00:00:21.715 --> 00:00:22.914 patients are faced with in

NOTE Confidence: 0.9797093

 $00{:}00{:}22.914 \dashrightarrow 00{:}00{:}24.195$ the treatment of breast cancer

NOTE Confidence: 0.9797093

 $00:00:24.195 \longrightarrow 00:00:25.654$ with doctor Sarah Schellhorn.

NOTE Confidence: 0.9815641

00:00:26.160 --> 00:00:27.840 Doctor Schellhorn is an associate

00:00:27.840 --> 00:00:29.440 professor of medicine and medical

NOTE Confidence: 0.9815641

00:00:29.440 --> 00:00:30.880 oncology at the Yale School

NOTE Confidence: 0.9815641

 $00:00:30.880 \longrightarrow 00:00:31.540$ of Medicine.

NOTE Confidence: 0.89604074

 $00:00:31.920 \longrightarrow 00:00:33.060$ Here's doctor Winer.

NOTE Confidence: 0.97616285

 $00:00:33.920 \longrightarrow 00:00:35.059$ I know that

NOTE Confidence: 0.9923494

 $00:00:36.080 \longrightarrow 00:00:37.920$ over the course of the

NOTE Confidence: 0.9923494

00:00:37.920 --> 00:00:39.920 past decade plus, you have

NOTE Confidence: 0.9923494

 $00:00:39.920 \longrightarrow 00:00:40.935$ taken care of

NOTE Confidence: 0.9996923

 $00:00:41.495 \longrightarrow 00:00:41.995$ countless

NOTE Confidence: 0.96036947

00:00:42.935 --> 00:00:44.635 women with breast cancer.

NOTE Confidence: 0.94775057

 $00:00:46.935 \longrightarrow 00:00:48.215$ And some of those are

NOTE Confidence: 0.94775057

 $00:00:48.215 \longrightarrow 00:00:48.955$ young women.

NOTE Confidence: 0.99117243

00:00:49.655 --> 00:00:51.595 As people know, breast cancer

NOTE Confidence: 0.99117243

 $00{:}00{:}51.655 \dashrightarrow 00{:}00{:}53.495$ affects women of all ages.

NOTE Confidence: 0.99117243

00:00:53.495 --> 00:00:55.035 It becomes more common

NOTE Confidence: 0.98253256

 $00:00:55.340 \longrightarrow 00:00:56.940$ as women grow older, but

NOTE Confidence: 0.98253256 00:00:56.940 --> 00:00:57.440 it NOTE Confidence: 0.99598753

 $00:00:57.980 \longrightarrow 00:01:00.239$ is a cancer that's pretty

NOTE Confidence: 0.99598753

00:01:00.379 --> 00:01:02.399 common in younger women too.

NOTE Confidence: 0.99161637

 $00:01:02.780 \longrightarrow 00:01:04.720$ And so issues about fertility

NOTE Confidence: 0.99032795

 $00{:}01{:}05.500 \dashrightarrow 00{:}01{:}06.240$ come up.

NOTE Confidence: 0.98976547

 $00:01:06.540 \longrightarrow 00:01:07.520$ They sure do.

NOTE Confidence: 0.9607334

 $00{:}01{:}07.899 --> 00{:}01{:}08.399 \ \mathrm{And},$

NOTE Confidence: 0.99878407

00:01:08.939 --> 00:01:10.575 maybe you could just, you

NOTE Confidence: 0.99878407

 $00:01:10.575 \longrightarrow 00:01:11.855$ know, start with a few

NOTE Confidence: 0.99878407

 $00:01:11.855 \longrightarrow 00:01:12.355$ thoughts

NOTE Confidence: 0.99971324

 $00:01:12.895 \longrightarrow 00:01:13.395$ about

NOTE Confidence: 0.9994057

 $00:01:13.855 \longrightarrow 00:01:15.395$ how you approach those conversations

NOTE Confidence: 0.9899188

00:01:16.015 --> 00:01:16.755 with patients.

NOTE Confidence: 0.99957854

00:01:18.495 --> 00:01:19.855 It's always a challenge

NOTE Confidence: 0.97129136

 $00:01:19.855 \longrightarrow 00:01:21.055$ when you're meeting a patient

 $00:01:21.055 \longrightarrow 00:01:22.255$ for the first time and

 $00:01:24.209 \longrightarrow 00:01:25.670$ they've been given this

NOTE Confidence: 0.9729942

00:01:26.130 --> 00:01:27.890 new diagnosis of breast cancer,

NOTE Confidence: 0.9729942

 $00:01:27.890 \longrightarrow 00:01:28.850$ and there are lots of

NOTE Confidence: 0.9729942

 $00:01:28.850 \longrightarrow 00:01:30.209$ things that have to be

NOTE Confidence: 0.9729942

 $00{:}01{:}30.209 \dashrightarrow 00{:}01{:}32.050$ talked about regarding the new

NOTE Confidence: 0.9729942

00:01:32.050 --> 00:01:34.370 cancer, regarding the treatment, regarding

NOTE Confidence: 0.9729942

 $00:01:34.370 \longrightarrow 00:01:35.810$ all the options. You've got

NOTE Confidence: 0.9729942

 $00:01:35.810 \longrightarrow 00:01:38.145$ surgical options and medication options

NOTE Confidence: 0.9238355

00:01:38.784 --> 00:01:40.784 radiation options, and it

NOTE Confidence: 0.9238355

 $00:01:40.784 \longrightarrow 00:01:42.325$ can all be overwhelming.

NOTE Confidence: 0.99558705

 $00{:}01{:}44.145 \mathrel{--}{>} 00{:}01{:}45.744$ But it's really important to

NOTE Confidence: 0.99558705

 $00:01:45.744 \longrightarrow 00:01:46.244$ remember

NOTE Confidence: 0.92961586

 $00{:}01{:}47.424 \dashrightarrow 00{:}01{:}49.045$ that young women in particular,

NOTE Confidence: 0.9983198

 $00{:}01{:}50.225 \dashrightarrow 00{:}01{:}51.825$ may not have completed their

NOTE Confidence: 0.9983198

 $00:01:51.825 \longrightarrow 00:01:53.765$ families. They may not have

 $00:01:56.120 \longrightarrow 00:01:57.560$ had children or as many

NOTE Confidence: 0.99918544

 $00:01:57.560 \longrightarrow 00:01:58.860$ children as they would want.

NOTE Confidence: 0.9998531

 $00:01:59.320 \longrightarrow 00:02:00.300$ They may have

NOTE Confidence: 0.9790995

 $00:02:00.680 \longrightarrow 00:02:01.800$ plans, and they may have

NOTE Confidence: 0.9790995

 $00:02:01.800 \longrightarrow 00:02:03.260$ been putting things off for

NOTE Confidence: 0.9790995

 $00:02:03.320 \longrightarrow 00:02:05.240$ career or other reasons.

NOTE Confidence: 0.9790995

 $00:02:05.240 \longrightarrow 00:02:06.360$ And those are NOTE Confidence: 0.9790995

 $00:02:06.360 \longrightarrow 00:02:07.500$ critical lifestyle

NOTE Confidence: 0.9928405

 $00:02:08.025 \longrightarrow 00:02:08.525$ pieces

NOTE Confidence: 0.9979598

 $00:02:09.145 \longrightarrow 00:02:10.445$ that we have to consider

NOTE Confidence: 0.9979598

 $00:02:10.505 \longrightarrow 00:02:12.185$ in the treatment of

NOTE Confidence: 0.9979598

 $00:02:12.185 \longrightarrow 00:02:13.245$ breast cancer. So

NOTE Confidence: 0.8782158

 $00:02:13.625 \longrightarrow 00:02:14.585$ when I see a new

NOTE Confidence: 0.8782158

 $00:02:14.585 --> 00:02:15.085 \ \mathrm{patient}$

NOTE Confidence: 0.91892594

 $00:02:15.625 \longrightarrow 00:02:16.825$ that I have a little

NOTE Confidence: 0.91892594

 $00:02:16.825 \longrightarrow 00:02:18.044$ bit of a mental checklist,

 $00:02:19.385 \longrightarrow 00:02:20.905$ that I go through

NOTE Confidence: 0.9504566

 $00:02:20.905 \longrightarrow 00:02:21.405$ that's

NOTE Confidence: 0.96814746

 $00:02:21.960 \longrightarrow 00:02:23.480$ certainly talk about the cancer,

NOTE Confidence: 0.96814746

 $00:02:23.480 \longrightarrow 00:02:25.000$ talk about the reasons for

NOTE Confidence: 0.96814746

 $00:02:25.000 \longrightarrow 00:02:26.600$ various treatments, and the reasons

NOTE Confidence: 0.96814746

 $00{:}02{:}26.600 \dashrightarrow 00{:}02{:}27.980$ why things are being recommended.

NOTE Confidence: 0.97206575

 $00:02:28.600 \longrightarrow 00:02:29.880$ But we also wanna make

NOTE Confidence: 0.97206575

 $00:02:29.880 \longrightarrow 00:02:31.080$ sure that we're taking into

NOTE Confidence: 0.97206575

 $00:02:31.080 \longrightarrow 00:02:31.580$ account,

NOTE Confidence: 0.99696666

 $00:02:32.200 \longrightarrow 00:02:33.800$ is your family complete? Have

NOTE Confidence: 0.99696666

 $00{:}02{:}33.800 \longrightarrow 00{:}02{:}35.145$ you ever thought about having

NOTE Confidence: 0.99696666

 $00:02:35.305 \longrightarrow 00:02:36.345$ children? Because a lot of

NOTE Confidence: 0.99696666

 $00:02:36.345 \longrightarrow 00:02:37.385$ the treatments that we use

NOTE Confidence: 0.99696666

 $00:02:37.385 \longrightarrow 00:02:38.345$ in the treatment of breast

NOTE Confidence: 0.99696666

 $00:02:38.345 \longrightarrow 00:02:38.845$ cancer

NOTE Confidence: 0.9982735

00:02:39.465 --> 00:02:40.205 can affect

 $00:02:40.825 \longrightarrow 00:02:42.205$ someone's future fertility.

NOTE Confidence: 0.9997857

 $00{:}02{:}43.305 \dashrightarrow 00{:}02{:}45.305$ They may prevent someone from

NOTE Confidence: 0.9997857

 $00:02:45.305 \longrightarrow 00:02:46.345$ being able to carry a

NOTE Confidence: 0.9997857

 $00:02:46.345 \longrightarrow 00:02:47.245$ healthy pregnancy

NOTE Confidence: 0.9658937

 $00:02:47.600 \longrightarrow 00:02:48.720$ if they were to become

NOTE Confidence: 0.9658937

 $00:02:48.720 \longrightarrow 00:02:50.580$ pregnant while on these medications.

NOTE Confidence: 0.9658937

 $00:02:50.720 \longrightarrow 00:02:52.660$ So these are critical conversations

NOTE Confidence: 0.9658937

 $00:02:52.720 \longrightarrow 00:02:53.700$ that have to happen.

NOTE Confidence: 0.9709918

 $00:02:58.639 \longrightarrow 00:03:00.419$ And they can effect fertility in different ways.

NOTE Confidence: 0.9617874

00:03:00.845 --> 00:03:02.305 Chemotherapy, for example.

NOTE Confidence: 0.9956579

 $00:03:03.245 \longrightarrow 00:03:03.745$ Chemotherapy,

NOTE Confidence: 0.9781617

 $00:03:04.845 \longrightarrow 00:03:05.965$ as I think many of

NOTE Confidence: 0.9781617

00:03:05.965 --> 00:03:07.264 our listeners know,

NOTE Confidence: 0.9996385600:03:07.644 --> 00:03:08.144 can NOTE Confidence: 0.9974474

 $00:03:08.924 \longrightarrow 00:03:10.944$ put a woman into menopause.

00:03:11.325 --> 00:03:11.825 Yes.

NOTE Confidence: 0.9956689

 $00{:}03{:}12.204 --> 00{:}03{:}12.540 \ \mathrm{But}$

NOTE Confidence: 0.97796005

 $00:03:13.019 \longrightarrow 00:03:14.719$ that's not always the case,

NOTE Confidence: 0.97796005

 $00:03:14.780 \longrightarrow 00:03:16.299$ and it's very much age

NOTE Confidence: 0.97796005

 $00:03:16.299 \longrightarrow 00:03:16.799$ related.

NOTE Confidence: 0.99685395

 $00{:}03{:}17.180 --> 00{:}03{:}17.680$ Yes.

NOTE Confidence: 0.9833513

 $00:03:19.099 \longrightarrow 00:03:20.219$ Talk about that a little

NOTE Confidence: 0.9833513

 $00:03:20.219 \longrightarrow 00:03:21.180$ bit. I mean, if

NOTE Confidence: 0.9833513

 $00:03:21.340 \longrightarrow 00:03:22.540$ you're a twenty five

NOTE Confidence: 0.9833513

 $00:03:22.540 \longrightarrow 00:03:23.579$ year old, are you gonna

NOTE Confidence: 0.9833513

 $00:03:23.579 \longrightarrow 00:03:25.294$ go into menopause with chemotherapy?

NOTE Confidence: 0.98015124

 $00:03:25.754 \longrightarrow 00:03:26.715$ You may go into

NOTE Confidence: 0.98015124

 $00:03:26.715 \longrightarrow 00:03:28.075$ a temporary menopause, and you

NOTE Confidence: 0.98015124

00:03:28.075 --> 00:03:29.355 may have hot flashes and

NOTE Confidence: 0.98015124

 $00{:}03{:}29.355 \dashrightarrow 00{:}03{:}30.635$ be kind of uncomfortable from

NOTE Confidence: 0.98015124

 $00{:}03{:}30.635 \dashrightarrow 00{:}03{:}32.254$ a menopausal standpoint

 $00:03:32.555 \longrightarrow 00:03:33.594$ for a short period of

NOTE Confidence: 0.99250543

 $00:03:33.594 \longrightarrow 00:03:35.534$ time. But in all likelihood,

NOTE Confidence: 0.99662346

 $00:03:36.715 \longrightarrow 00:03:37.754$ a twenty five year old

NOTE Confidence: 0.99662346

 $00:03:37.754 \longrightarrow 00:03:39.830$ has very robust ovaries that

NOTE Confidence: 0.99662346

 $00:03:39.830 \longrightarrow 00:03:40.870$ are gonna kick it back

NOTE Confidence: 0.99662346

 $00:03:40.870 \longrightarrow 00:03:41.610$ into gear

NOTE Confidence: 0.9990718

 $00:03:42.069 \longrightarrow 00:03:43.510$ within a few months from

NOTE Confidence: 0.9990718

 $00{:}03{:}43.510 \dashrightarrow 00{:}03{:}44.490$ completing chemotherapy.

NOTE Confidence: 0.99588895

 $00:03:45.910 \longrightarrow 00:03:47.270$ The older a woman is

NOTE Confidence: 0.99588895

 $00:03:47.270 \longrightarrow 00:03:48.970$ and the closer to natural

NOTE Confidence: 0.99588895

 $00:03:49.030 \longrightarrow 00:03:49.530$ menopause,

NOTE Confidence: 0.99966

 $00:03:49.990 \longrightarrow 00:03:51.130$ the less likely

NOTE Confidence: 0.9881586

 $00{:}03{:}51.944 \dashrightarrow 00{:}03{:}53.885$ that they will regain fertility.

NOTE Confidence: 0.9906687

 $00:03:54.584 \longrightarrow 00:03:55.705$ But a twenty five year

NOTE Confidence: 0.9906687

00:03:55.705 --> 00:03:56.985 old, a thirty year old,

 $00:03:56.985 \longrightarrow 00:03:58.985$ very likely to be

NOTE Confidence: 0.9906687

 $00:03:58.985 \longrightarrow 00:03:59.724$ able to

NOTE Confidence: 0.9724903

 $00:04:01.545 \longrightarrow 00:04:03.705$ have menstrual

NOTE Confidence: 0.9724903

 $00:04:03.705 \longrightarrow 00:04:05.465$ cycles again, may be able

NOTE Confidence: 0.9724903

 $00:04:05.465 \longrightarrow 00:04:07.010$ to become pregnant. And there

NOTE Confidence: 0.9724903

 $00:04:07.010 \longrightarrow 00:04:07.890$ are even things that we

NOTE Confidence: 0.9724903

 $00:04:07.890 \longrightarrow 00:04:09.270$ can do during chemotherapy

NOTE Confidence: 0.9993021

 $00:04:09.650 \longrightarrow 00:04:11.270$ that can help preserve fertility.

NOTE Confidence: 0.9953731

 $00:04:11.970 \longrightarrow 00:04:13.430$ And what are those things?

 $00:04:16.370 \longrightarrow 00:04:17.250$ I feel like you might

NOTE Confidence: 0.9403948

 $00:04:17.250 \longrightarrow 00:04:18.050$ know the answer to this

NOTE Confidence: 0.9403948

 $00{:}04{:}18.050 \dashrightarrow 00{:}04{:}19.990$ question, but

NOTE Confidence: 0.9403948

 $00:04:20.214 \longrightarrow 00:04:21.755$ you can actually

NOTE Confidence: 0.9403948

 $00{:}04{:}21.815 --> 00{:}04{:}22.634 \text{ use medications}$

NOTE Confidence: 0.9100071

 $00{:}04{:}23.735 \dashrightarrow 00{:}04{:}26.315$ called GnRH agonists. They're

NOTE Confidence: 0.9100071

 $00:04:26.455 \longrightarrow 00:04:28.315$ shots, injections that

 $00:04:28.935 \longrightarrow 00:04:30.615$ effectively put the ovaries to

NOTE Confidence: 0.9855412

 $00:04:30.615 \longrightarrow 00:04:32.055$ sleep, kind of put them

NOTE Confidence: 0.9855412

 $00:04:32.055 \longrightarrow 00:04:33.035$ into a dormant

NOTE Confidence: 0.9881218

 $00:04:33.710 \longrightarrow 00:04:35.650$ status so that the chemotherapy

NOTE Confidence: 0.9881218

 $00:04:35.870 \longrightarrow 00:04:37.330$ doesn't affect them as much.

NOTE Confidence: 0.9875723

 $00{:}04{:}38.190 \dashrightarrow 00{:}04{:}38.690$ And

NOTE Confidence: 0.9954951

 $00:04:39.070 \longrightarrow 00:04:41.150$ studies have shown that women

NOTE Confidence: 0.9954951

 $00:04:41.150 \longrightarrow 00:04:42.370$ who receive

NOTE Confidence: 0.95626754

 $00:04:43.470 \longrightarrow 00:04:45.490$ these additional treatments during chemotherapy

NOTE Confidence: 0.9978448

 $00:04:46.464 \longrightarrow 00:04:47.585$ are more likely to go

NOTE Confidence: 0.9978448

 $00{:}04{:}47.585 \dashrightarrow 00{:}04{:}49.125$ on and carry healthy pregnancies

NOTE Confidence: 0.99640787

 $00:04:50.545 \longrightarrow 00:04:51.665$ in the future.

NOTE Confidence: 0.99640787

 $00:04:51.665 \longrightarrow 00:04:52.625$ So we use those a lot

NOTE Confidence: 0.99640787

00:04:52.625 --> 00:04:54.145 in people who desire future

NOTE Confidence: 0.99640787

00:04:54.145 --> 00:04:54.645 fertility.

NOTE Confidence: 0.99628705

 $00:04:55.105 \longrightarrow 00:04:56.785$ So that's one option

00:04:56.785 --> 00:04:58.325 during chemotherapy itself.

 $00:05:01.600 \longrightarrow 00:05:02.980$ But you also have to remember

NOTE Confidence: 0.98502254

 $00:05:03.120 \longrightarrow 00:05:03.940$ when someone is

 $00:05:05.120 \longrightarrow 00:05:07.279$ undergoing chemotherapy and their

NOTE Confidence: 0.96429896

00:05:07.279 --> 00:05:08.800 ovaries are a certain age,

NOTE Confidence: 0.96429896

 $00:05:08.800 \longrightarrow 00:05:10.720$ whatever that age is,

 $00:05:12.014 \longrightarrow 00:05:13.375$ those ovaries are not getting

NOTE Confidence: 0.9865338

 $00:05:13.375 \longrightarrow 00:05:15.055$ any younger, and any eggs

NOTE Confidence: 0.9865338

 $00:05:15.055 \longrightarrow 00:05:16.255$ that are contained in those

NOTE Confidence: 0.9865338

 $00{:}05{:}16.255 \dashrightarrow 00{:}05{:}17.955$ ovaries aren't getting any younger.

NOTE Confidence: 0.9954567

 $00:05:18.255 \longrightarrow 00:05:19.695$ And so even when we

NOTE Confidence: 0.9954567

 $00{:}05{:}19.695 \dashrightarrow 00{:}05{:}20.514$ try to

NOTE Confidence: 0.9993744

 $00:05:20.815 \longrightarrow 00:05:23.134$ preserve someone's fertility by using

NOTE Confidence: 0.9993744

 $00:05:23.134 \longrightarrow 00:05:23.955$ these injections,

NOTE Confidence: 0.99867934

 $00:05:24.950 \longrightarrow 00:05:26.090$ we still may advise

NOTE Confidence: 0.99379164

 $00:05:26.550 \longrightarrow 00:05:28.870$ them to preserve eggs or

NOTE Confidence: 0.99379164

 $00:05:28.870 \longrightarrow 00:05:29.990$ embryos if they're in a

00:05:29.990 --> 00:05:30.970 committed relationship

NOTE Confidence: 0.9763455

 $00:05:33.750 \longrightarrow 00:05:35.510$ to enhance the options of

NOTE Confidence: 0.9763455

 $00:05:35.510 \longrightarrow 00:05:37.610$ having a healthy baby, healthy

NOTE Confidence: 0.9763455

 $00:05:37.750 \longrightarrow 00:05:38.250$ pregnancy

NOTE Confidence: 0.97525215

 $00:05:38.790 \longrightarrow 00:05:40.005$ down the line. Because

NOTE Confidence: 0.97525215

 $00:05:40.085 \longrightarrow 00:05:41.445$ the older an ovary gets,

NOTE Confidence: 0.97525215

 $00:05:41.445 \longrightarrow 00:05:42.745$ the older the egg gets,

NOTE Confidence: 0.97148025

 $00:05:43.285 \longrightarrow 00:05:45.225$ the more chances that

NOTE Confidence: 0.9993095

 $00:05:46.325 \longrightarrow 00:05:48.245$ genetically, a baby may have

NOTE Confidence: 0.9993095

 $00:05:48.245 \longrightarrow 00:05:48.985$ more problems.

NOTE Confidence: 0.94847566

 $00:05:50.085 \longrightarrow 00:05:51.365$ Well in

NOTE Confidence: 0.97155184

 $00{:}05{:}52.180 \dashrightarrow 00{:}05{:}54.339$ my former institution before I

NOTE Confidence: 0.97155184

 $00:05:54.339 \longrightarrow 00:05:55.300$ came to Yale a few

NOTE Confidence: 0.97155184

 $00:05:55.300 \longrightarrow 00:05:56.039$ years ago,

NOTE Confidence: 0.9994044

00:05:57.139 --> 00:05:59.000 we had started a program for

 $00{:}06{:}00.419 \dashrightarrow 00{:}06{:}02.120$ young women with breast cancer,

 $00:06:03.379 \longrightarrow 00:06:05.479$ something that we're actually starting

NOTE Confidence: 0.95498323

 $00:06:05.539 \longrightarrow 00:06:06.945$ at Smilow,

NOTE Confidence: 0.9861644

 $00:06:07.485 \longrightarrow 00:06:08.685$ for not just young women

NOTE Confidence: 0.9861644

 $00:06:08.685 \longrightarrow 00:06:09.964$ with breast cancer, but young

NOTE Confidence: 0.9861644

 $00:06:09.964 \longrightarrow 00:06:11.665$ people with cancer in general.

NOTE Confidence: 0.9790175

 $00:06:12.285 \longrightarrow 00:06:13.565$ But the reason I bring

NOTE Confidence: 0.9790175

 $00:06:13.565 \longrightarrow 00:06:14.785$ this up is that

NOTE Confidence: 0.999463

 $00:06:15.404 \longrightarrow 00:06:15.904$ initially,

NOTE Confidence: 0.99976027

 $00:06:16.205 \longrightarrow 00:06:17.025$ we set

NOTE Confidence: 0.9944474

 $00:06:17.325 \longrightarrow 00:06:19.325$ the cut point for age

NOTE Confidence: 0.9944474

 $00:06:19.325 \longrightarrow 00:06:20.625$ at forty two.

NOTE Confidence: 0.9623588

00:06:21.930 --> 00:06:23.450 It eventually snuck up a

NOTE Confidence: 0.9623588

 $00:06:23.450 \longrightarrow 00:06:24.490$ little bit as the person

NOTE Confidence: 0.9623588

 $00:06:24.490 \longrightarrow 00:06:26.029$ who was directing that program

NOTE Confidence: 0.9323354

 $00:06:26.890 \longrightarrow 00:06:28.510$ also got a little older.

 $00:06:28.970 \longrightarrow 00:06:30.430$ But the reason we picked

NOTE Confidence: 0.9540994

 $00:06:30.570 \longrightarrow 00:06:32.430$ forty two is that

NOTE Confidence: 0.99722755

 $00:06:33.050 \longrightarrow 00:06:35.025$ that was probably an

NOTE Confidence: 0.99722755

 $00:06:35.025 \longrightarrow 00:06:36.145$ age where there aren't a

NOTE Confidence: 0.99722755

 $00:06:36.145 \longrightarrow 00:06:37.505$ lot of people who are

NOTE Confidence: 0.9972275500:06:37.505 --> 00:06:38.005 still

NOTE Confidence: 0.9928878

 $00{:}06{:}38.384 \to 00{:}06{:}40.625$ thinking about becoming pregnant after

NOTE Confidence: 0.9928878

 $00:06:40.625 \longrightarrow 00:06:41.365$ that age.

NOTE Confidence: 0.9974751

 $00:06:41.824 \longrightarrow 00:06:43.185$ And while there may be

NOTE Confidence: 0.9974751

 $00:06:43.185 \longrightarrow 00:06:44.324$ a few,

NOTE Confidence: 0.9786482

00:06:45.025 --> 00:06:46.384 our options

NOTE Confidence: 0.9786482

 $00:06:46.384 \longrightarrow 00:06:47.764$ are much more limited.

NOTE Confidence: 0.87112916

 $00{:}06{:}48.305 \dashrightarrow 00{:}06{:}48.705 \ \mathrm{But},$

NOTE Confidence: 0.9947912

 $00{:}06{:}49.980 \dashrightarrow 00{:}06{:}51.040$ the other complicating

NOTE Confidence: 0.9975174

 $00:06:51.900 \longrightarrow 00:06:53.980$ feature is that we also

NOTE Confidence: 0.9975174

 $00:06:53.980 \longrightarrow 00:06:54.480$ sometimes

 $00:06:54.860 \longrightarrow 00:06:55.360$ suppress

NOTE Confidence: 0.9995253

 $00:06:56.060 \longrightarrow 00:06:57.760$ the function of ovaries

NOTE Confidence: 0.9994144

 $00:06:58.220 \longrightarrow 00:06:59.580$ as part of treatment for

NOTE Confidence: 0.9994144

 $00:06:59.580 \longrightarrow 00:07:00.320$ breast cancer.

NOTE Confidence: 0.99811494

 $00:07:00.779 \longrightarrow 00:07:02.480$ Or we use medications

NOTE Confidence: 0.99320257

 $00:07:03.180 \longrightarrow 00:07:04.000$ that are

NOTE Confidence: 0.98908675

 $00:07:05.005 \longrightarrow 00:07:05.665$ contraindicated.

NOTE Confidence: 0.99248785

 $00:07:06.045 \longrightarrow 00:07:07.325$ They can't be given during

NOTE Confidence: 0.99248785

 $00:07:07.325 \longrightarrow 00:07:08.925$ pregnancy because they cause fetal

NOTE Confidence: 0.99248785

 $00:07:08.925 \longrightarrow 00:07:09.425$ abnormalities.

NOTE Confidence: 0.9040846

 $00:07:10.605 \longrightarrow 00:07:11.885$ And these are

NOTE Confidence: 0.9040846

 $00{:}07{:}11.885 \dashrightarrow 00{:}07{:}14.525$ the hormone based treatments or

NOTE Confidence: 0.9040846

 $00{:}07{:}14.525 \dashrightarrow 00{:}07{:}16.545$ probably more appropriately anti hormone,

NOTE Confidence: 0.9040846

00:07:16.605 --> 00:07:17.105 antiestrogens.

00:07:21.010 --> 00:07:23.110 So depending on whatever clinical circumstance,

NOTE Confidence: 0.9768767

00:07:23.250 --> 00:07:24.610 we might put some one into

 $00:07:24.610 \longrightarrow 00:07:25.110$ menopause,

NOTE Confidence: 0.93041956

00:07:26.050 --> 00:07:27.330 in which case they can't

NOTE Confidence: 0.93041956

00:07:27.330 --> 00:07:28.710 become pregnant naturally,

NOTE Confidence: 0.9836409

 $00:07:29.410 \longrightarrow 00:07:30.770$ if they're in menopause. Their

NOTE Confidence: 0.9836409

 $00:07:30.770 \longrightarrow 00:07:32.070$ ovaries are not functioning.

NOTE Confidence: 0.98980814

 $00:07:33.005 \longrightarrow 00:07:33.965$ Or we use a drug

NOTE Confidence: 0.98980814

 $00:07:33.965 \longrightarrow 00:07:34.785$ called tamoxifen,

NOTE Confidence: 0.98345345

00:07:36.285 --> 00:07:37.805 which cannot be given during

NOTE Confidence: 0.98345345

 $00:07:37.805 \longrightarrow 00:07:38.305$ pregnancy.

NOTE Confidence: 0.9909213

 $00:07:39.005 \longrightarrow 00:07:39.965$ And these are given for

NOTE Confidence: 0.9909213

 $00:07:39.965 \longrightarrow 00:07:41.165$ a long time. They're given

NOTE Confidence: 0.9909213

 $00:07:41.165 \longrightarrow 00:07:43.425$ for at least five years

NOTE Confidence: 0.9909213

 $00{:}07{:}43.565 --> 00{:}07{:}44.625 \ \mathrm{in \ many \ cases},$

NOTE Confidence: 0.960233

 $00{:}07{:}45.645 \dashrightarrow 00{:}07{:}46.945$ assuming they're well tolerated.

NOTE Confidence: 0.98159164

 $00:07:48.150 \longrightarrow 00:07:50.070$ And that's five years of

 $00:07:50.070 \longrightarrow 00:07:50.570$ time

NOTE Confidence: 0.969539

 $00{:}07{:}51.190 \dashrightarrow 00{:}07{:}53.190$ where ovaries are also getting

NOTE Confidence: 0.969539

 $00:07:53.190 \longrightarrow 00:07:54.310$ older and eggs that are

NOTE Confidence: 0.969539

 $00:07:54.310 \longrightarrow 00:07:55.190$ in the ovaries are getting

NOTE Confidence: 0.969539

 $00:07:55.190 \longrightarrow 00:07:56.490$ older. So it may become

NOTE Confidence: 0.99931103

 $00:07:57.030 \longrightarrow 00:07:58.170$ just because of

NOTE Confidence: 0.99364346

 $00:07:58.790 \longrightarrow 00:08:00.390$ normal, natural

NOTE Confidence: 0.99364346

00:08:00.390 --> 00:08:01.930 history of a woman's fertility,

NOTE Confidence: 0.99364346

 $00{:}08{:}01.990 \dashrightarrow 00{:}08{:}02.870$ it may be harder to

NOTE Confidence: 0.99364346

 $00{:}08{:}02.870 \dashrightarrow 00{:}08{:}04.365$ become pregnant after five years

NOTE Confidence: 0.99364346

 $00:08:04.365 \longrightarrow 00:08:05.504$ of endocrine therapy.

NOTE Confidence: 0.9939769

 $00:08:06.125 \longrightarrow 00:08:07.724$ So I'm not

NOTE Confidence: 0.9939769

 $00:08:07.724 \longrightarrow 00:08:08.525$ sure if this is where

NOTE Confidence: 0.9939769

 $00:08:08.525 \longrightarrow 00:08:09.965$ you were pointing

NOTE Confidence: 0.9939769

 $00:08:09.965 \longrightarrow 00:08:11.504$ our conversation, but

NOTE Confidence: 0.94940615

00:08:11.884 --> 00:08:13.324 there's a

00:08:13.324 --> 00:08:15.104 study called the positive study,

NOTE Confidence: 0.98451406

 $00:08:16.420 \longrightarrow 00:08:18.100$ designed, I think, primarily by

NOTE Confidence: 0.98451406

00:08:18.100 --> 00:08:19.640 people at your former institution,

 $00:08:22.500 \longrightarrow 00:08:24.760$ that looked at discontinuing

NOTE Confidence: 0.9797053

 $00:08:25.300 \longrightarrow 00:08:26.760$ endocrine therapy, tamoxifen

NOTE Confidence: 0.8026065

 $00:08:27.140 \longrightarrow 00:08:27.880$ or others,

NOTE Confidence: 0.9791711

 $00:08:28.420 \longrightarrow 00:08:30.120$ earlier than the five years.

NOTE Confidence: 0.9791711

 $00:08:30.325 \longrightarrow 00:08:31.445$ So women had to be

NOTE Confidence: 0.9791711

 $00:08:31.445 \longrightarrow 00:08:34.245$ on that medication for

NOTE Confidence: 0.9791711

 $00:08:34.245 \longrightarrow 00:08:35.845$ at least eighteen months, but

NOTE Confidence: 0.9791711

00:08:35.845 --> 00:08:36.745 could be longer.

NOTE Confidence: 0.9981626

 $00:08:37.925 \longrightarrow 00:08:39.445$ And the medication was

NOTE Confidence: 0.9981626

 $00:08:39.445 \longrightarrow 00:08:41.285$ discontinued in an effort to

NOTE Confidence: 0.9981626

 $00:08:41.285 \longrightarrow 00:08:42.425$ have them achieve

NOTE Confidence: 0.9561624

 $00:08:42.725 \longrightarrow 00:08:44.345$ a normal pregnancy, either

NOTE Confidence: 0.9558256

 $00:08:45.059 \longrightarrow 00:08:45.880$ through natural

 $00{:}08{:}47.059 --> 00{:}08{:}48.520 \ \mathrm{means} \ \mathrm{or} \ \mathrm{through}$

NOTE Confidence: 0.9962294

 $00{:}08{:}49.140 \dashrightarrow 00{:}08{:}50.600$ additional fertility treatments.

NOTE Confidence: 0.9787558

 $00:08:51.140 \longrightarrow 00:08:52.900$ And so far, the results

NOTE Confidence: 0.9787558

 $00:08:52.900 \longrightarrow 00:08:54.100$ from that study have been

NOTE Confidence: 0.9787558

 $00:08:54.100 \longrightarrow 00:08:54.600$ incredibly

NOTE Confidence: 0.9919596

 $00:08:56.420 \longrightarrow 00:08:57.559$ positive, incredibly

NOTE Confidence: 0.9997161

 $00:08:58.179 \longrightarrow 00:08:58.679$ optimistic

NOTE Confidence: 0.98188925

 $00:08:59.059 \longrightarrow 00:09:00.195$ that women can

NOTE Confidence: 0.99897736

00:09:01.075 --> 00:09:02.135 stop endocrine therapy,

NOTE Confidence: 0.9888291

 $00:09:02.995 \longrightarrow 00:09:04.755$ have a pregnancy, deliver a

NOTE Confidence: 0.9888291

 $00{:}09{:}04.755 \dashrightarrow 00{:}09{:}06.275$ baby, even breastfeed for a

NOTE Confidence: 0.9888291

 $00:09:06.275 \longrightarrow 00:09:07.955$ little bit, and then go

NOTE Confidence: 0.9888291

 $00:09:07.955 \longrightarrow 00:09:09.795$ back on endocrine therapy with

NOTE Confidence: 0.9888291

 $00:09:09.795 \longrightarrow 00:09:11.554$ no detrimental effects to their

NOTE Confidence: 0.9888291

 $00:09:11.554 \longrightarrow 00:09:13.410$ ultimate outcome, although we're still

 $00:09:13.410 \longrightarrow 00:09:14.929$ waiting for long term

NOTE Confidence: 0.9888291

 $00:09:14.929 \longrightarrow 00:09:16.470$ follow-up of this study.

NOTE Confidence: 0.97562927

 $00:09:17.090 \longrightarrow 00:09:18.290$ And and, of course, we

NOTE Confidence: 0.97562927

00:09:18.290 --> 00:09:20.550 couldn't do the ultimate study,

NOTE Confidence: 0.97562927

 $00:09:20.610 \longrightarrow 00:09:21.990$ which would be to randomize

NOTE Confidence: 0.97562927

00:09:22.210 --> 00:09:23.730 patients because it's pretty hard

NOTE Confidence: 0.97562927 00:09:23.730 --> 00:09:24.230 to NOTE Confidence: 0.97036844

 $00:09:24.795 \longrightarrow 00:09:27.135$ randomize someone to get pregnant

NOTE Confidence: 0.97036844

00:09:27.275 --> 00:09:28.475 or you don't get pregnant.

NOTE Confidence: 0.97036844

 $00:09:28.475 \longrightarrow 00:09:29.434$ That's a tough thing to do.

 $00:09:30.554 \longrightarrow 00:09:31.995$ That's not one

NOTE Confidence: 0.97036844

 $00:09:31.995 \longrightarrow 00:09:33.535$ that can be done.

NOTE Confidence: 0.9792903

 $00{:}09{:}34.315 \dashrightarrow 00{:}09{:}35.675$ What was interesting about the

NOTE Confidence: 0.9792903

 $00{:}09{:}35.675 \dashrightarrow 00{:}09{:}36.955$ results from the study too

NOTE Confidence: 0.9792903

 $00:09:36.955 \longrightarrow 00:09:37.615$ is that,

NOTE Confidence: 0.9950102

 $00:09:39.350 \longrightarrow 00:09:40.870$ about three quarters of the

00:09:40.870 --> 00:09:42.490 women, if I remember correctly,

NOTE Confidence: 0.9950102

 $00:09:42.710 \longrightarrow 00:09:43.210$ actually

NOTE Confidence: 0.99383783

 $00:09:43.990 \longrightarrow 00:09:45.690$ were able to become pregnant

NOTE Confidence: 0.9697741

 $00:09:46.070 \longrightarrow 00:09:48.390$ and deliver a child,

NOTE Confidence: 0.9697741

 $00:09:48.390 \longrightarrow 00:09:50.010$ which is a remarkably

NOTE Confidence: 0.9627491

 $00:09:50.310 \longrightarrow 00:09:51.990$ high percentage.

NOTE Confidence: 0.9627491

 $00:09:51.990 \longrightarrow 00:09:53.295$ It is, especially given that

NOTE Confidence: 0.9676296

 $00:09:53.695 \longrightarrow 00:09:54.735$ a fair number of those

NOTE Confidence: 0.9676296

00:09:54.735 --> 00:09:55.795 women got chemotherapy,

NOTE Confidence: 0.9357858

 $00:09:57.135 \longrightarrow 00:09:58.355$ so really reassuring,

NOTE Confidence: 0.9942595

 $00:09:59.295 \longrightarrow 00:10:00.735$ and I think opens a

NOTE Confidence: 0.9942595

 $00:10:00.735 \longrightarrow 00:10:01.475$ lot of doors

NOTE Confidence: 0.9558838

 $00:10:02.095 \longrightarrow 00:10:03.615$ that we previously would have

NOTE Confidence: 0.9558838

 $00:10:03.615 \longrightarrow 00:10:04.595$ considered closed

NOTE Confidence: 0.98659635

 $00:10:05.855 \longrightarrow 00:10:07.615$ for younger women with breast

NOTE Confidence: 0.98659635

 $00:10:07.615 \longrightarrow 00:10:08.115$ cancer.

 $00:10:09.600 \longrightarrow 00:10:11.040$ It does seem that

NOTE Confidence: 0.92518055

00:10:11.520 --> 00:10:13.860 as complicated as this dance is around 00:10:16.000 --> 00:10:18.020 breast cancer treatment and pregnancy,

NOTE Confidence: 0.9994262

 $00:10:18.400 \longrightarrow 00:10:19.920$ that there's often a way

NOTE Confidence: 0.9994262

 $00:10:19.920 \longrightarrow 00:10:20.580$ to navigate

NOTE Confidence: 0.99825835

 $00:10:22.285 \longrightarrow 00:10:24.144$ a result that is gonna

NOTE Confidence: 0.99825835

 $00:10:24.205 \longrightarrow 00:10:25.425$ both be optimal

NOTE Confidence: 0.9850538

 $00:10:25.885 \longrightarrow 00:10:27.005$ in terms of treating the

NOTE Confidence: 0.9850538

 $00{:}10{:}27.005 --> 00{:}10{:}28.765$ cancer and will also give

NOTE Confidence: 0.9850538

 $00:10:28.765 \longrightarrow 00:10:30.365$ somebody the chance to have

NOTE Confidence: 0.9850538

 $00:10:30.365 \longrightarrow 00:10:31.485$ a child if that's what

NOTE Confidence: 0.9850538

 $00:10:31.485 \longrightarrow 00:10:33.265$ they really wanna do.

NOTE Confidence: 0.9850538

 $00{:}10{:}33.325 \rightarrow 00{:}10{:}35.265$ It's a careful conversation.

NOTE Confidence: 0.99776953

 $00:10:35.980 \longrightarrow 00:10:37.360$ It's a long conversation.

NOTE Confidence: 0.98957443

 $00:10:38.540 \longrightarrow 00:10:39.500$ It can be a really

NOTE Confidence: 0.98957443

00:10:39.500 --> 00:10:41.040 emotional and intense conversation,

 $00:10:42.620 \longrightarrow 00:10:43.120$ because

NOTE Confidence: 0.88275164

 $00:10:44.059 \longrightarrow 00:10:44.559$ pretty

NOTE Confidence: 0.9710121

 $00:10:45.020 \longrightarrow 00:10:46.700$ far reaching ramifications for a

NOTE Confidence: 0.9710121

 $00:10:46.700 \longrightarrow 00:10:48.960$ woman's future. But

NOTE Confidence: 0.9997297

 $00:10:50.035 \longrightarrow 00:10:51.715$ we are often able to

NOTE Confidence: 0.9997297

 $00:10:51.715 \longrightarrow 00:10:52.215$ navigate

NOTE Confidence: 0.9968631

 $00:10:53.554 \longrightarrow 00:10:54.054$ chemotherapy,

NOTE Confidence: 0.94943094

 $00:10:55.075 \longrightarrow 00:10:57.175$ fertility treatments prior to chemotherapy.

NOTE Confidence: 0.9912662

 $00:10:57.955 \longrightarrow 00:10:59.155$ And even when someone needs

NOTE Confidence: 0.9912662

 $00:10:59.155 \longrightarrow 00:11:00.275$ to be on endocrine therapy

NOTE Confidence: 0.9912662

 $00:11:00.275 \longrightarrow 00:11:01.975$ long term,

NOTE Confidence: 0.9970713

 $00:11:03.070 \longrightarrow 00:11:04.270$ getting a woman to a

NOTE Confidence: 0.9970713

 $00:11:04.270 \longrightarrow 00:11:05.730$ point where she can try

NOTE Confidence: 0.9970713

 $00:11:05.790 \longrightarrow 00:11:06.529$ to naturally

NOTE Confidence: 0.96644145

 $00:11:07.149 \longrightarrow 00:11:08.990$ have a child or

 $00:11:08.990 \longrightarrow 00:11:10.589$ with some medical help have

NOTE Confidence: 0.96644145

 $00:11:10.589 \longrightarrow 00:11:12.270$ a child.

NOTE Confidence: 0.96644145

 $00:11:12.270 \longrightarrow 00:11:13.649$ And for our listeners,

NOTE Confidence: 0.9905104

00:11:14.750 --> 00:11:16.110 it is worth pointing out

NOTE Confidence: 0.9905104

00:11:16.110 --> 00:11:18.395 that years ago, meaning twenty,

NOTE Confidence: 0.9905104

 $00:11:18.395 \longrightarrow 00:11:19.535$ thirty years ago,

NOTE Confidence: 0.9990772

 $00:11:19.995 \longrightarrow 00:11:20.655$ it was

NOTE Confidence: 0.9993073

00:11:21.115 --> 00:11:23.535 widely assumed that getting pregnant

NOTE Confidence: 0.9993073

00:11:23.595 --> 00:11:24.735 after breast cancer

NOTE Confidence: 0.9897478

 $00:11:25.195 \longrightarrow 00:11:26.875$ was something that you always

NOTE Confidence: 0.9897478

 $00:11:26.875 \longrightarrow 00:11:28.395$ wanted to avoid because the

NOTE Confidence: 0.9897478

 $00:11:28.395 \longrightarrow 00:11:30.495$ pregnancy could stimulate a recurrence.

NOTE Confidence: 0.9609516

00:11:31.275 --> 00:11:33.399 And that really doesn't seem

NOTE Confidence: 0.9609516

 $00:11:33.399 \longrightarrow 00:11:34.440$ to be the case.

NOTE Confidence: 0.9609516

 $00:11:34.440 \longrightarrow 00:11:35.800$ In the data we have

00:11:38.120 --> 00:11:39.640 it has never really been shown. In fact, it

 $00:11:39.640 \longrightarrow 00:11:40.860$ hasn't been shown.

NOTE Confidence: 0.94936436

00:11:41.559 --> 00:11:43.080 That's right. So I think

NOTE Confidence: 0.94936436

00:11:43.080 --> 00:11:44.440 we're in a

NOTE Confidence: 0.94936436

 $00:11:44.440 \longrightarrow 00:11:45.800$ much better place. We

NOTE Confidence: 0.94936436

 $00:11:45.800 \longrightarrow 00:11:46.620$ also now

NOTE Confidence: 0.99086016

 $00:11:47.345 \longrightarrow 00:11:49.285$ can not only preserve embryos,

NOTE Confidence: 0.99086016

 $00:11:49.505 \longrightarrow 00:11:51.025$ but if someone doesn't have

NOTE Confidence: 0.99086016

00:11:51.025 --> 00:11:51.684 a partner,

NOTE Confidence: 0.99973917

 $00:11:52.145 \longrightarrow 00:11:53.525$ we can save

NOTE Confidence: 0.98037523

 $00:11:53.985 \longrightarrow 00:11:56.225$ eggs, eggs or pieces

NOTE Confidence: 0.98037523

00:11:56.225 --> 00:11:57.985 of ovarian tissue, all kinds

NOTE Confidence: 0.98037523

 $00:11:57.985 \longrightarrow 00:11:59.025$ of different things,

NOTE Confidence: 0.9990227

 $00{:}12{:}00.059 \dashrightarrow 00{:}12{:}01.900$ that fertility specialists have at

NOTE Confidence: 0.9990227

 $00:12:01.900 \longrightarrow 00:12:03.260$ their fingertips to be able to help.

 $00:12:05.900 \longrightarrow 00:12:07.420$ Again, nothing's a

NOTE Confidence: 0.9429113

 $00:12:07.420 \longrightarrow 00:12:09.020$ hundred percent, but lots of

 $00:12:09.020 \longrightarrow 00:12:10.800$ options that can be explored.

NOTE Confidence: 0.9567947

00:12:11.100 --> 00:12:11.900 And I think this

NOTE Confidence: 0.9567947

 $00:12:11.900 \longrightarrow 00:12:13.179$ is another example of the

NOTE Confidence: 0.9567947

 $00:12:13.179 \longrightarrow 00:12:14.000$ fact that

NOTE Confidence: 0.9986934

 $00:12:14.345 \longrightarrow 00:12:15.485$ you often need

NOTE Confidence: 0.99971265

 $00:12:16.265 \longrightarrow 00:12:16.765$ doctors

NOTE Confidence: 0.9511887

 $00:12:17.545 \longrightarrow 00:12:19.305$ and nurses and others from

NOTE Confidence: 0.9511887

00:12:19.305 --> 00:12:21.405 many different fields to provide

NOTE Confidence: 0.9511887

00:12:21.465 --> 00:12:22.845 optimal care.

NOTE Confidence: 0.9947583

 $00:12:23.385 \longrightarrow 00:12:25.565$ And as medical oncologists,

NOTE Confidence: 0.9992067

 $00{:}12{:}25.945 \dashrightarrow 00{:}12{:}27.725$ we're not the ones prescribing

NOTE Confidence: 0.9665191

 $00:12:28.140 \longrightarrow 00:12:29.900$ fertility treatments

NOTE Confidence: 0.9665191

 $00:12:29.900 \longrightarrow 00:12:31.020$ and we need to work

NOTE Confidence: 0.9665191

 $00:12:31.020 \longrightarrow 00:12:32.860$ with our our colleagues in

 $00:12:33.740 \longrightarrow 00:12:34.640$ OB GYN.

 $00:12:36.620 \longrightarrow 00:12:37.820$ The treatment of breast cancer,

NOTE Confidence: 0.9493362

 $00:12:37.820 \longrightarrow 00:12:39.200$ the treatment of any cancer,

 $00:12:39.260 \longrightarrow 00:12:40.380$ requires a lot of

NOTE Confidence: 0.9493362

 $00:12:40.380 \longrightarrow 00:12:41.235$ hands on deck,

NOTE Confidence: 0.99487954

 $00:12:42.195 \longrightarrow 00:12:43.954$ and close connections with

NOTE Confidence: 0.99487954

 $00:12:43.954 \longrightarrow 00:12:45.394$ lots of different disciplines and

NOTE Confidence: 0.99487954

 $00:12:45.394 \longrightarrow 00:12:45.894$ fields,

NOTE Confidence: 0.9996214

 $00:12:46.755 \longrightarrow 00:12:47.714$ to be able to provide

NOTE Confidence: 0.9996214

00:12:47.714 --> 00:12:48.695 truly comprehensive

NOTE Confidence: 0.96142083

 $00:12:49.554 \longrightarrow 00:12:50.774$ whole patient care.

 $00:12:52.355 \longrightarrow 00:12:53.475$ I just wanna come

NOTE Confidence: 0.98424786

 $00:12:53.475 \longrightarrow 00:12:54.774$ back in our

NOTE Confidence: 0.9997392

 $00{:}12{:}55.075 \dashrightarrow 00{:}12{:}55.575 \text{ last}$

NOTE Confidence: 0.9900179

 $00:12:55.920 \longrightarrow 00:12:57.700$ few seconds before the break

NOTE Confidence: 0.9900179

 $00:12:57.760 \longrightarrow 00:12:58.260$ and

NOTE Confidence: 0.9995691

 $00:12:59.120 \longrightarrow 00:13:00.880$ just touch very briefly on

NOTE Confidence: 0.9995691

 $00:13:00.880 \longrightarrow 00:13:01.860$ the fact that

NOTE Confidence: 0.9726431

 $00:13:02.720 \longrightarrow 00:13:04.080$ we all recognize this is

 $00:13:04.080 \longrightarrow 00:13:05.460$ an emotionally charged

NOTE Confidence: 0.99022907

00:13:06.320 --> 00:13:08.080 experience. I mean, having cancer

NOTE Confidence: 0.99022907

00:13:08.080 --> 00:13:10.045 is hard enough. Having cancer

NOTE Confidence: 0.99022907

00:13:10.045 --> 00:13:12.045 and worrying about wanting to

NOTE Confidence: 0.99022907

 $00{:}13{:}12.045 \dashrightarrow 00{:}13{:}13.725$ become pregnant or maybe even

NOTE Confidence: 0.99022907

00:13:13.725 --> 00:13:15.005 being pregnant at the time

NOTE Confidence: 0.99022907

 $00:13:15.005 \longrightarrow 00:13:16.045$ just makes it that much

NOTE Confidence: 0.99022907

 $00{:}13{:}16.045 \dashrightarrow 00{:}13{:}17.184$ harder.

00:13:20.125 --> 00:13:21.024 It's hard enough,

NOTE Confidence: 0.97587705

 $00:13:22.190 \longrightarrow 00:13:23.390$ to have to have these

NOTE Confidence: 0.97587705

 $00{:}13{:}23.390 \dashrightarrow 00{:}13{:}25.150$ conversations about treatment. And you

NOTE Confidence: 0.97587705

 $00:13:25.150 \longrightarrow 00:13:25.650$ throw

NOTE Confidence: 0.93085593

 $00:13:26.590 \longrightarrow 00:13:28.050$ fertility and families

NOTE Confidence: 0.89683384

00:13:28.429 --> 00:13:29.170 into it,

NOTE Confidence: 0.9862962

 $00:13:29.550 \longrightarrow 00:13:30.850$ it is that much harder.

NOTE Confidence: 0.9886686

 $00{:}13{:}31.470 \dashrightarrow 00{:}13{:}32.990$ Well, we're gonna take just a

 $00:13:33.965 \longrightarrow 00:13:35.885$ very brief break, and I'll

NOTE Confidence: 0.98987705

 $00:13:35.885 \longrightarrow 00:13:37.184$ return in

NOTE Confidence: 0.9507359

 $00:13:37.804 \longrightarrow 00:13:39.405$ just a minute with doctor

NOTE Confidence: 0.9507359

00:13:39.405 --> 00:13:40.225 Sarah Schellhorn,

NOTE Confidence: 0.98759335

 $00{:}13{:}40.925 \dashrightarrow 00{:}13{:}43.325$ associate professor at Yale School

NOTE Confidence: 0.98759335

 $00{:}13{:}43.325 \dashrightarrow 00{:}13{:}45.325$ of Medicine, and we'll continue

NOTE Confidence: 0.98759335

00:13:45.325 --> 00:13:46.785 our conversation about

NOTE Confidence: 0.9997964

 $00{:}13{:}47.565 \dashrightarrow 00{:}13{:}49.005$ other issues related to breast

NOTE Confidence: 0.9997964

 $00:13:49.005 \longrightarrow 00:13:49.505$ cancer.

NOTE Confidence: 0.9590362

00:13:49.940 --> 00:13:51.620 Funding for Yale Cancer Answers

NOTE Confidence: 0.9590362

 $00{:}13{:}51.620 \dashrightarrow 00{:}13{:}53.480$ comes from Smilow Cancer Hospital,

NOTE Confidence: 0.97430205

00:13:53.860 --> 00:13:55.540 where the lung cancer screening

NOTE Confidence: 0.97430205

 $00:13:55.540 \longrightarrow 00:13:57.220$ program provides screening to those

NOTE Confidence: 0.97430205

 $00:13:57.220 \longrightarrow 00:13:58.679$ at risk for lung cancer

NOTE Confidence: 0.97430205

 $00:13:58.900 \longrightarrow 00:13:59.720$ and individualized

NOTE Confidence: 0.9943216

 $00:14:00.179 \longrightarrow 00:14:01.400$ state of the art evaluation

 $00:14:01.540 \longrightarrow 00:14:02.600$ of lung nodules.

NOTE Confidence: 0.94404805

 $00{:}14{:}03.165 \dashrightarrow 00{:}14{:}04.705$ To learn more, visit smilow cancerhospital

NOTE Confidence: 0.9847199

 $00:14:05.644 \longrightarrow 00:14:06.464$ dot org.

NOTE Confidence: 0.97986424

 $00:14:08.285 \longrightarrow 00:14:10.445$ The American Cancer Society estimates

NOTE Confidence: 0.97986424

 $00{:}14{:}10.445 \dashrightarrow 00{:}14{:}11.885$ that over two hundred thousand

NOTE Confidence: 0.97986424

 $00:14:11.885 \longrightarrow 00:14:13.485$ cases of melanoma will be

NOTE Confidence: 0.97986424

 $00:14:13.485 \longrightarrow 00:14:15.084$ diagnosed in the United States

NOTE Confidence: 0.97986424

 $00:14:15.084 \longrightarrow 00:14:16.445$ this year, with over a

NOTE Confidence: 0.97986424

 $00{:}14{:}16.445 \dashrightarrow 00{:}14{:}18.625$ thousand patients in Connecticut alone.

NOTE Confidence: 0.99042284

 $00:14:19.080 \longrightarrow 00:14:19.820$ While melanoma

NOTE Confidence: 0.99620515

 $00:14:20.120 \longrightarrow 00:14:21.720$ accounts for only about one

NOTE Confidence: 0.99620515

 $00:14:21.720 \longrightarrow 00:14:23.820$ percent of skin cancer cases,

NOTE Confidence: 0.9601329

00:14:24.120 --> 00:14:25.560 it causes the most skin

NOTE Confidence: 0.9601329

 $00:14:25.560 \longrightarrow 00:14:27.660$ cancer deaths, but when detected

NOTE Confidence: 0.9601329

 $00:14:27.720 \longrightarrow 00:14:29.240$ early it is easily treated

 $00:14:29.240 \longrightarrow 00:14:30.300$ and highly curable.

NOTE Confidence: 0.95274913

 $00:14:31.074 \longrightarrow 00:14:32.834$ Clinical trials are currently underway

NOTE Confidence: 0.95274913

 $00:14:32.834 \longrightarrow 00:14:35.475$ at federally designated comprehensive cancer

NOTE Confidence: 0.95274913

 $00:14:35.475 \longrightarrow 00:14:37.154$ centers such as Yale Cancer

NOTE Confidence: 0.95274913

00:14:37.154 --> 00:14:38.834 Center and at Smilow Cancer

NOTE Confidence: 0.95274913

 $00:14:38.834 \longrightarrow 00:14:39.334$ Hospital

NOTE Confidence: 0.9887846

 $00:14:39.714 \longrightarrow 00:14:41.475$ to test innovative new treatments

NOTE Confidence: 0.9887846

 $00:14:41.475 \longrightarrow 00:14:42.134$ for melanoma.

NOTE Confidence: 0.97237235

 $00:14:42.834 \longrightarrow 00:14:44.055$ The goal of the Specialized

NOTE Confidence: 0.9930478

 $00:14:44.520 \longrightarrow 00:14:46.360$ programs of research excellence in

NOTE Confidence: 0.9930478

 $00:14:46.360 \longrightarrow 00:14:48.040$ skin cancer grant is to

NOTE Confidence: 0.9930478

00:14:48.040 --> 00:14:49.800 better understand the biology of

NOTE Confidence: 0.9930478

 $00:14:49.800 \longrightarrow 00:14:51.240$ skin cancer with a focus

NOTE Confidence: 0.9930478

 $00{:}14{:}51.240 {\: --> \:} 00{:}14{:}53.240$ on discovering targets that will

NOTE Confidence: 0.9930478

 $00:14:53.240 \longrightarrow 00:14:55.000$ lead to improved diagnosis and

NOTE Confidence: 0.9930478

 $00:14:55.000 \longrightarrow 00:14:55.500$ treatment.

00:14:56.120 --> 00:14:57.800 More information is available at

NOTE Confidence: 0.97804594

00:14:57.800 --> 00:14:59.740 yale cancer center dot org.

NOTE Confidence: 0.97804594

00:14:59.915 --> 00:15:01.515 You're listening to Connecticut Public

NOTE Confidence: 0.97804594

 $00:15:01.515 \longrightarrow 00:15:02.015$ Radio.

NOTE Confidence: 0.9464989

 $00:15:04.155 \longrightarrow 00:15:05.915$ Hello again. This is Eric

NOTE Confidence: 0.9464989

 $00:15:05.915 \longrightarrow 00:15:07.595$ Winer from the Yale Cancer

NOTE Confidence: 0.9464989

00:15:07.595 --> 00:15:08.895 Center here with Yale Cancer Answers.

00:15:10.715 --> 00:15:12.575 And I'm joined tonight by

NOTE Confidence: 0.9717757

 $00:15:12.635 \dashrightarrow 00:15:14.950$ doctor Sarah Schellhorn, associate professor

NOTE Confidence: 0.9717757

 $00:15:14.950 \longrightarrow 00:15:15.529$ of medicine

NOTE Confidence: 0.92520314

 $00{:}15{:}16.230 \dashrightarrow 00{:}15{:}18.170$ and a breast cancer expert.

NOTE Confidence: 0.9995775

 $00:15:18.950 \longrightarrow 00:15:20.250$ We spent the last

NOTE Confidence: 0.96207803

 $00{:}15{:}20.709 \dashrightarrow 00{:}15{:}22.390$ fifteen minutes or so talking

NOTE Confidence: 0.96207803

 $00{:}15{:}22.390 \dashrightarrow 00{:}15{:}24.730$ about pregnancy and breast cancer.

NOTE Confidence: 0.96207803

 $00:15:24.790 \longrightarrow 00:15:25.830$ We're gonna move on and

NOTE Confidence: 0.96207803

 $00:15:25.830 \longrightarrow 00:15:27.910$ talk about other hormonal aspects

 $00:15:27.910 \longrightarrow 00:15:29.750$ of breast cancer or in

NOTE Confidence: 0.96207803

00:15:29.750 --> 00:15:30.250 particular,

NOTE Confidence: 0.9742384

 $00:15:30.925 \longrightarrow 00:15:33.505$ hormonal or anti hormonal treatments.

NOTE Confidence: 0.9962902

 $00:15:35.085 \longrightarrow 00:15:36.625$ These are given to

NOTE Confidence: 0.9995769

00:15:37.085 --> 00:15:38.525 a large number of women

NOTE Confidence: 0.9995769

 $00:15:38.525 \longrightarrow 00:15:39.585$ with breast cancer

NOTE Confidence: 0.51278156

 $00:15:39.965 \longrightarrow 00:15:40.465$ because

NOTE Confidence: 0.9822458

 $00:15:41.165 \longrightarrow 00:15:42.865$ somewhere in the range of

NOTE Confidence: 0.97923994

 $00:15:43.485 \longrightarrow 00:15:45.560$ in excess of seventy

NOTE Confidence: 0.97923994

 $00:15:45.560 \longrightarrow 00:15:46.680$ five percent of all breast

NOTE Confidence: 0.97923994

 $00:15:46.680 \longrightarrow 00:15:47.740$ cancers

NOTE Confidence: 0.9983459

 $00{:}15{:}48.600 \dashrightarrow 00{:}15{:}50.699$ are sensitive to female reproductive

NOTE Confidence: 0.9983459

00:15:50.839 --> 00:15:51.339 hormones.

00:15:53.000 --> 00:15:53.500 Sarah,

NOTE Confidence: 0.99968547

00:15:54.040 --> 00:15:55.019 maybe you could

NOTE Confidence: 0.90273255

 $00{:}15{:}56.360 --> 00{:}15{:}57.420 \; \mathrm{just} \; \mathrm{talk} \; \mathrm{about}$

 $00:15:58.175 \longrightarrow 00:15:59.795$ generally the benefits

NOTE Confidence: 0.9998933 00:16:00.175 --> 00:16:00.675 of NOTE Confidence: 0.9640505

 $00{:}16{:}01.135 \dashrightarrow 00{:}16{:}04.115$ these anti hormonal treatments and

NOTE Confidence: 0.9640505

 $00:16:04.255 \longrightarrow 00:16:06.895$ perhaps describe the two most

NOTE Confidence: 0.9640505

 $00:16:06.895 \longrightarrow 00:16:08.654$ common ones that we use

NOTE Confidence: 0.9640505

 $00{:}16{:}08.654 \dashrightarrow 00{:}16{:}10.035$ to help prevent recurrences.

NOTE Confidence: 0.9884527

 $00:16:10.495 \longrightarrow 00:16:10.995$ Sure.

NOTE Confidence: 0.96387434

 $00:16:11.580 \longrightarrow 00:16:12.860$ So it's really interesting.

NOTE Confidence: 0.96387434

 $00:16:12.860 \longrightarrow 00:16:13.660$ I think there's a kind

NOTE Confidence: 0.96387434

 $00:16:13.660 \longrightarrow 00:16:15.980$ of an interesting historical piece to

NOTE Confidence: 0.9519301

 $00:16:18.860 \longrightarrow 00:16:20.220$ the treatment of breast cancer.

NOTE Confidence: 0.9519301

 $00:16:20.220 \longrightarrow 00:16:21.420$ If you think back, and

NOTE Confidence: 0.9519301

00:16:21.420 --> 00:16:22.380 I can't give you

NOTE Confidence: 0.9519301

 $00:16:22.380 \longrightarrow 00:16:24.300$ an exact date, but many

NOTE Confidence: 0.9519301

 $00:16:24.300 \longrightarrow 00:16:24.800$ decades

 $00:16:25.420 \longrightarrow 00:16:25.920$ ago,

NOTE Confidence: 0.9996961

 $00{:}16{:}26.865 \dashrightarrow 00{:}16{:}28.325$ the treatment of breast cancer

NOTE Confidence: 0.9700865

00:16:28.705 --> 00:16:30.465 was pretty morbid, lots of

NOTE Confidence: 0.9700865

00:16:30.465 --> 00:16:32.225 big surgeries. There were some

NOTE Confidence: 0.9700865

00:16:32.225 --> 00:16:33.985 studies of chemotherapy. But what

NOTE Confidence: 0.9700865

 $00:16:33.985 \longrightarrow 00:16:36.865$ was discovered was some

NOTE Confidence: 0.9700865

00:16:36.865 --> 00:16:38.225 in many women with breast

NOTE Confidence: 0.9700865

 $00:16:38.225 \longrightarrow 00:16:38.725$ cancer,

NOTE Confidence: 0.99121195

 $00{:}16{:}39.230 \dashrightarrow 00{:}16{:}40.990$ taking out their ovaries and

NOTE Confidence: 0.99121195

 $00:16:40.990 \longrightarrow 00:16:42.589$ putting them into menopause seemed

NOTE Confidence: 0.99121195

00:16:42.589 --> 00:16:43.389 to be a pretty good

NOTE Confidence: 0.99121195

 $00:16:43.389 \longrightarrow 00:16:44.670$ treatment for breast cancer. And

NOTE Confidence: 0.99121195

 $00:16:44.670 \longrightarrow 00:16:45.730$ it was on that

 $00{:}16{:}47.470 \dashrightarrow 00{:}16{:}50.050$ further studies showed that

NOTE Confidence: 0.99003845

00:16:50.269 --> 00:16:51.709 many breast cancers, as you

NOTE Confidence: 0.9900384500:16:51.709 --> 00:16:52.209 said,

 $00:16:52.589 \longrightarrow 00:16:54.385$ probably more than three

NOTE Confidence: 0.97567743

 $00:16:54.385 \longrightarrow 00:16:55.845$ quarters of all breast cancers,

NOTE Confidence: 0.97567743

 $00:16:55.985 \longrightarrow 00:16:56.485$ express

NOTE Confidence: 0.9981446

 $00:16:57.024 \longrightarrow 00:16:58.865$ the estrogen receptor or the

NOTE Confidence: 0.9981446

00:16:58.865 --> 00:17:00.084 progesterone receptor.

NOTE Confidence: 0.99925804

 $00:17:00.704 \longrightarrow 00:17:02.225$ And these are

NOTE Confidence: 0.99925804

 $00:17:02.225 \longrightarrow 00:17:02.725$ hormone

NOTE Confidence: 0.9997352

 $00:17:03.505 \longrightarrow 00:17:05.045$ receptors that require

NOTE Confidence: 0.97577226

 $00{:}17{:}05.505 --> 00{:}17{:}07.285$ kind of seeing the hormone,

NOTE Confidence: 0.97577226

00:17:07.345 --> 00:17:08.565 estrogen or progesterone,

NOTE Confidence: 0.9907177

 $00{:}17{:}09.270 \dashrightarrow 00{:}17{:}10.650$ that leads to cells,

NOTE Confidence: 0.97012776

 $00:17:10.950 \longrightarrow 00:17:12.410$ cancer cells in particular,

NOTE Confidence: 0.99824303

 $00:17:13.270 \longrightarrow 00:17:14.550$ getting the signals they need

NOTE Confidence: 0.99824303

 $00:17:14.550 \longrightarrow 00:17:15.850$ to grow and divide.

NOTE Confidence: 0.9760934

 $00:17:16.150 \longrightarrow 00:17:17.670$ And so these cancers are,

NOTE Confidence: 0.9760934

 $00:17:17.670 \longrightarrow 00:17:20.010$ in essence, fueled by hormones.

 $00:17:21.190 \longrightarrow 00:17:21.690$ And

NOTE Confidence: 0.99947244

 $00:17:22.675 \longrightarrow 00:17:24.595$ a number of different types

NOTE Confidence: 0.99947244

00:17:24.595 --> 00:17:25.975 of drugs have been developed

NOTE Confidence: 0.99911225

00:17:26.355 --> 00:17:28.215 that work on that interaction 00:17:30.515 --> 00:17:32.275 between the hormone and its

NOTE Confidence: 0.99887294

 $00:17:32.275 \longrightarrow 00:17:32.775$ receptor.

NOTE Confidence: 0.9945087

 $00:17:33.395 \longrightarrow 00:17:34.515$ The oldest is a drug

NOTE Confidence: 0.9945087

 $00:17:34.515 \longrightarrow 00:17:35.255$ called tamoxifen,

NOTE Confidence: 0.903396

 $00:17:36.400 \longrightarrow 00:17:36.900$ which

NOTE Confidence: 0.9995923

 $00:17:37.920 \longrightarrow 00:17:39.140$ is a competitive

NOTE Confidence: 0.9816038

 $00{:}17{:}39.760 {\:{\mbox{--}}\!>\:} 00{:}17{:}41.440$ antagonist in the breast

NOTE Confidence: 0.9816038

 $00:17:41.440 \longrightarrow 00:17:43.200$ of estrogen. All that means

NOTE Confidence: 0.9816038

 $00:17:43.200 \longrightarrow 00:17:44.080$ is if we think about

NOTE Confidence: 0.9816038

 $00:17:44.080 \longrightarrow 00:17:45.280$ a receptor kind of like

NOTE Confidence: 0.9816038

 $00:17:45.280 \longrightarrow 00:17:46.340$ a baseball glove

NOTE Confidence: 0.9446533

 $00{:}17{:}46.720 \dashrightarrow 00{:}17{:}47.680$ and we think about the

 $00:17:47.680 \longrightarrow 00:17:49.359$ hormone like a baseball and

NOTE Confidence: 0.9446533

00:17:49.359 --> 00:17:50.640 the glove catches the

NOTE Confidence: 0.9446533

 $00:17:50.640 \longrightarrow 00:17:51.140$ baseball,

NOTE Confidence: 0.90089107

 $00{:}17{:}51.815 --> 00{:}17{:}52.315 \ tamoxifen$

NOTE Confidence: 0.99378556

 $00:17:52.695 \longrightarrow 00:17:53.895$ is kind of like a

NOTE Confidence: 0.99378556

 $00:17:53.895 \longrightarrow 00:17:54.395$ grapefruit.

NOTE Confidence: 0.98893183

00:17:54.855 --> 00:17:56.535 And if you're holding it running

NOTE Confidence: 0.98893183

 $00:17:56.535 \longrightarrow 00:17:57.895$ around in the outfield of

NOTE Confidence: 0.98893183

00:17:57.895 --> 00:17:59.174 a baseball field, holding a

NOTE Confidence: 0.98893183

 $00{:}17{:}59.174 \dashrightarrow 00{:}18{:}00.455$ grapefruit in your baseball glove,

NOTE Confidence: 0.98893183

 $00{:}18{:}00.455 \dashrightarrow 00{:}18{:}01.415$ you're never gonna be able

NOTE Confidence: 0.98893183

00:18:01.415 --> 00:18:02.455 to catch a baseball. It's

NOTE Confidence: 0.98893183

00:18:02.455 --> 00:18:03.415 kind of how I describe

NOTE Confidence: 0.98893183

 $00:18:03.415 \longrightarrow 00:18:04.155$ it to patients.

NOTE Confidence: 0.983455300:18:05.655 --> 00:18:06.155 But

 $00:18:06.520 \longrightarrow 00:18:08.119$ Tamoxifen blocks that as the result.

NOTE Confidence: 0.7837815

00:18:08.119 --> 00:18:09.799 Great way of describing

NOTE Confidence: 0.7837815

 $00:18:09.799 \longrightarrow 00:18:11.640$ it and for listeners it actually even

NOTE Confidence: 0.7837815

 $00:18:11.640 \longrightarrow 00:18:13.500$ works without seeing your hands.

 $00:18:14.679 \longrightarrow 00:18:15.640$ I've got some

NOTE Confidence: 0.98227555

 $00:18:15.640 \longrightarrow 00:18:17.240$ really great hand gestures going

NOTE Confidence: 0.98227555

 $00:18:17.240 \longrightarrow 00:18:18.440$ on right now.

NOTE Confidence: 0.98227555

 $00:18:18.440 \longrightarrow 00:18:20.440$ It then leads into a big conversations about

NOTE Confidence: 0.98227555

00:18:20.440 --> 00:18:21.340 baseball teams

NOTE Confidence: 0.99125713

 $00:18:21.875 \longrightarrow 00:18:23.235$ and Yankees and

NOTE Confidence: 0.99125713

00:18:23.235 --> 00:18:24.615 Red Sox, but I won't

NOTE Confidence: 0.99125713

 $00:18:24.835 \longrightarrow 00:18:26.615$ go there. But,

NOTE Confidence: 0.89485437

00:18:26.994 --> 00:18:27.494 tamoxifen,

NOTE Confidence: 0.9995751

 $00{:}18{:}28.355 \dashrightarrow 00{:}18{:}29.975$ when it's given for

NOTE Confidence: 0.98885584

 $00:18:30.435 \longrightarrow 00:18:31.975$ five years, maybe longer,

NOTE Confidence: 0.9996163

 $00:18:32.435 \longrightarrow 00:18:34.215$ has been shown to reduce

 $00:18:34.275 \longrightarrow 00:18:35.475$ the chances of a breast

NOTE Confidence: 0.9996163

00:18:35.475 --> 00:18:37.335 cancer coming back by about

NOTE Confidence: 0.9627263

 $00:18:38.309 \longrightarrow 00:18:39.830$ half, by a

NOTE Confidence: 0.9627263

 $00:18:39.830 \longrightarrow 00:18:40.330$ relative

NOTE Confidence: 0.9987279

00:18:40.630 --> 00:18:42.890 risk reduction of fifty percent.

NOTE Confidence: 0.92804503

 $00:18:44.230 \longrightarrow 00:18:45.270$ And if we can just

NOTE Confidence: 0.92804503

 $00:18:45.270 \longrightarrow 00:18:46.309$ say for a minute what

NOTE Confidence: 0.92804503

 $00:18:46.309 \longrightarrow 00:18:48.470$ that means in people's

NOTE Confidence: 0.92804503

 $00:18:48.470 \longrightarrow 00:18:48.970$ terms.

NOTE Confidence: 0.9821198

 $00:18:49.270 \longrightarrow 00:18:51.109$ So if you have a

00:18:51.955 --> 00:18:53.395 ten percent chance of having

NOTE Confidence: 0.9863385

00:18:53.395 --> 00:18:54.675 a recurrence, it goes down

NOTE Confidence: 0.9863385

 $00:18:54.675 \longrightarrow 00:18:56.435$ to about five. If

NOTE Confidence: 0.9863385

 $00:18:56.435 \longrightarrow 00:18:58.035$ you have a twenty five

NOTE Confidence: 0.9863385

00:18:58.035 --> 00:18:59.555 percent chance of having a

NOTE Confidence: 0.9863385

 $00:18:59.555 \longrightarrow 00:19:01.475$ recurrence of your cancer, because

 $00:19:01.475 \longrightarrow 00:19:02.835$ it's a higher risk cancer,

NOTE Confidence: 0.9863385

 $00:19:02.835 \longrightarrow 00:19:04.035$ it would go down to

NOTE Confidence: 0.9863385

 $00:19:04.035 \longrightarrow 00:19:05.494$ twelve and a half percent.

NOTE Confidence: 0.9936733

 $00:19:05.955 \longrightarrow 00:19:06.455$ Right.

NOTE Confidence: 0.93229735

 $00{:}19{:}06.970 \dashrightarrow 00{:}19{:}08.909$ It's pretty powerful treatments.

NOTE Confidence: 0.75417125

 $00:19:11.210 \longrightarrow 00:19:11.950$ Arguably it is the first

NOTE Confidence: 0.99005175

 $00:19:12.330 \longrightarrow 00:19:13.309$ real personalized

NOTE Confidence: 0.98583657

 $00:19:13.769 \longrightarrow 00:19:15.710$ targeted therapy in cancer.

NOTE Confidence: 0.9682452

 $00:19:17.850 \longrightarrow 00:19:19.769$ So tamoxifen's been around for

NOTE Confidence: 0.9682452

 $00:19:19.769 \longrightarrow 00:19:21.070$ years and years and years.

NOTE Confidence: 0.9674007

 $00:19:23.774 \longrightarrow 00:19:24.975$ And it's got sort of

NOTE Confidence: 0.9674007

 $00:19:24.975 \longrightarrow 00:19:26.575$ a bad rap.

NOTE Confidence: 0.9674007

 $00:19:26.575 \longrightarrow 00:19:27.934$ Why is that?

NOTE Confidence: 0.9674007

 $00:19:27.934 \longrightarrow 00:19:28.515$ I think

NOTE Confidence: 0.99353075

 $00:19:29.215 \longrightarrow 00:19:30.654$ with the advent of social

NOTE Confidence: 0.99353075

 $00:19:30.654 \longrightarrow 00:19:32.975$ media and online

 $00:19:32.975 \longrightarrow 00:19:33.794$ web based

NOTE Confidence: 0.9887045

 $00:19:34.174 \longrightarrow 00:19:35.695$ chat groups, there's a lot

NOTE Confidence: 0.9887045

 $00:19:35.695 \longrightarrow 00:19:37.075$ of information sharing.

NOTE Confidence: 0.9968266 00:19:37.534 --> 00:19:38.034 And

NOTE Confidence: 0.9848712

 $00:19:39.190 \longrightarrow 00:19:40.710$ tamoxifen does have some potential

NOTE Confidence: 0.9848712

 $00:19:40.710 \longrightarrow 00:19:42.550$ side effects. It can cause

NOTE Confidence: 0.9848712

 $00:19:42.550 \longrightarrow 00:19:44.230$ hot flashes. It can cause

NOTE Confidence: 0.9848712

 $00:19:44.230 \longrightarrow 00:19:45.910 \mod \text{changes}$. It can cause

NOTE Confidence: 0.9848712

 $00:19:45.910 \longrightarrow 00:19:47.510$ fluid retention and weight gain

NOTE Confidence: 0.9848712

 $00:19:47.510 \longrightarrow 00:19:49.190$ and cause people to not

NOTE Confidence: 0.9848712 00:19:49.190 --> 00:19:49.690 feel NOTE Confidence: 0.8714397

 $00:19:49.990 \longrightarrow 00:19:51.610$ terribly normal, causes headaches.

NOTE Confidence: 0.99925977

 $00:19:52.365 \longrightarrow 00:19:54.305$ Lots of things that

NOTE Confidence: 0.9874134

00:19:54.685 --> 00:19:57.405 are maybe not horrible from

NOTE Confidence: 0.9874134

 $00:19:57.405 \longrightarrow 00:19:58.925$ a medical standpoint, but from

00:19:58.925 --> 00:19:59.744 a lifestyle

NOTE Confidence: 0.9888191

 $00{:}20{:}00.285 \dashrightarrow 00{:}20{:}01.725$ quality of life standpoint can

NOTE Confidence: 0.9888191

 $00:20:01.725 \longrightarrow 00:20:02.465$ be really

NOTE Confidence: 0.9931314

 $00:20:03.005 \longrightarrow 00:20:03.505$ problematic.

NOTE Confidence: 0.99875283

 $00:20:04.925 \longrightarrow 00:20:05.984$ But many women

NOTE Confidence: 0.9944986

00:20:06.720 --> 00:20:08.260 tolerate the pill just fine.

NOTE Confidence: 0.9994149

 $00:20:08.720 \longrightarrow 00:20:09.220$ And

NOTE Confidence: 0.9992385

 $00:20:09.520 \longrightarrow 00:20:10.720$ when we think about who

 $00:20:11.600 \longrightarrow 00:20:12.740$ are the

NOTE Confidence: 0.98813796

 $00:20:13.040 \longrightarrow 00:20:14.720$ loudest people on these web

NOTE Confidence: 0.98813796

 $00{:}20{:}14.720 \dashrightarrow 00{:}20{:}16.640$ based chat groups, often it's

NOTE Confidence: 0.98813796

 $00:20:16.640 \longrightarrow 00:20:18.240$ the people who are having

NOTE Confidence: 0.98813796

 $00:20:18.240 \longrightarrow 00:20:18.900$ the problems,

NOTE Confidence: 0.9994248

 $00:20:20.160 \longrightarrow 00:20:21.195$ that

NOTE Confidence: 0.9993449

 $00:20:21.674 \longrightarrow 00:20:22.174$ appropriately,

NOTE Confidence: 0.98851395

 $00:20:22.955 \longrightarrow 00:20:24.315$ are asking for help and

 $00:20:24.315 \longrightarrow 00:20:26.174$ asking for advice.

NOTE Confidence: 0.99943644

 $00:20:26.554 \longrightarrow 00:20:27.434$ And the people who are

NOTE Confidence: 0.99943644

 $00:20:27.434 \longrightarrow 00:20:28.414$ doing just fine

NOTE Confidence: 0.9676156

 $00:20:28.715 \longrightarrow 00:20:29.914$ are living their lives and it

NOTE Confidence: 0.9961828

 $00:20:32.875 \longrightarrow 00:20:34.530$ tends to be a little

NOTE Confidence: 0.9961828

00:20:34.530 --> 00:20:36.450 bit more problematic in younger

NOTE Confidence: 0.9961828

 $00:20:36.450 \longrightarrow 00:20:38.470$ women than older women. So

NOTE Confidence: 0.9961828

 $00:20:38.770 \longrightarrow 00:20:39.510$ you put

NOTE Confidence: 0.97110045

 $00:20:40.130 \longrightarrow 00:20:41.250$ a thirty five year old

NOTE Confidence: 0.97110045

 $00:20:41.250 \longrightarrow 00:20:42.310$ woman on Tamoxifen,

NOTE Confidence: 0.98738277

 $00:20:42.690 \longrightarrow 00:20:43.970$ and at least in

NOTE Confidence: 0.98738277

00:20:43.970 --> 00:20:44.630 my practice,

NOTE Confidence: 0.9982336

 $00:20:45.250 \longrightarrow 00:20:47.405$ I tend to expect a

NOTE Confidence: 0.9982336

00:20:47.405 --> 00:20:48.605 few more symptoms than I

NOTE Confidence: 0.9982336

00:20:48.605 --> 00:20:50.045 would in somebody twenty years

NOTE Confidence: 0.9982336

 $00:20:50.045 \longrightarrow 00:20:50.545$ older.

 $00:20:51.244 \longrightarrow 00:20:52.845$ And I think it's

NOTE Confidence: 0.99855226

 $00:20:52.845 \longrightarrow 00:20:53.984$ important to remember

NOTE Confidence: 0.9988551

 $00:20:54.285 \longrightarrow 00:20:56.545$ that estrogen and progesterone

NOTE Confidence: 0.9988551

 $00:20:56.845 \longrightarrow 00:20:58.145$ really do serve a purpose

NOTE Confidence: 0.9255627

 $00:20:58.445 \longrightarrow 00:20:59.345$ in women.

NOTE Confidence: 0.9976082

 $00:21:00.045 \longrightarrow 00:21:00.545$ And

NOTE Confidence: 0.99587893

 $00:21:01.470 \longrightarrow 00:21:02.369$ messing around,

NOTE Confidence: 0.9998766

00:21:02.830 --> 00:21:03.330 manipulating

NOTE Confidence: 0.99739325

 $00:21:03.630 \longrightarrow 00:21:04.130$ hormones,

NOTE Confidence: 0.9651171

 $00:21:05.630 \longrightarrow 00:21:07.710$ can cause problems and

NOTE Confidence: 0.9651171

 $00:21:07.710 \longrightarrow 00:21:09.390$ and big ones that really

NOTE Confidence: 0.9651171

 $00:21:09.550 \longrightarrow 00:21:11.809$ impact somebody's

NOTE Confidence: 0.999393

 $00{:}21{:}12.750 --> 00{:}21{:}13.650$ day to day.

NOTE Confidence: 0.9903756

00:21:14.145 --> 00:21:15.665 Hot flashes, if they happen

NOTE Confidence: 0.9903756

00:21:15.665 --> 00:21:17.265 only once every few days,

 $00:21:17.265 \longrightarrow 00:21:18.305$ probably not that big a

NOTE Confidence: 0.9903756

 $00:21:18.305 \longrightarrow 00:21:19.665$ deal. But hot flashes that

NOTE Confidence: 0.9903756

00:21:19.665 --> 00:21:20.785 are happening ten times a

NOTE Confidence: 0.9903756

 $00:21:20.785 \longrightarrow 00:21:22.305$ night and preventing somebody from

NOTE Confidence: 0.9903756

 $00:21:22.305 \longrightarrow 00:21:22.805$ sleeping and

NOTE Confidence: 0.995854

 $00:21:23.665 \longrightarrow 00:21:25.605$ leads to chronic fatigue and

NOTE Confidence: 0.995854

 $00:21:25.825 \longrightarrow 00:21:27.905$ mental fogginess, that's

NOTE Confidence: 0.995854

 $00:21:27.905 \longrightarrow 00:21:29.445$ really a big deal.

NOTE Confidence: 0.9995551

 $00:21:29.760 \longrightarrow 00:21:30.800$ And so a lot of

NOTE Confidence: 0.9995551

 $00:21:30.800 \longrightarrow 00:21:32.080$ the conversations that we have

NOTE Confidence: 0.9995551

 $00{:}21{:}32.080 \to 00{:}21{:}32.660$ in clinic

NOTE Confidence: 0.99904156

 $00:21:33.520 \longrightarrow 00:21:35.300$ relate to that absolute

NOTE Confidence: 0.99992335

 $00{:}21{:}35.760 --> 00{:}21{:}36.260 \text{ benefit}$

NOTE Confidence: 0.9967438

 $00:21:36.720 \longrightarrow 00:21:37.220$ conversation

NOTE Confidence: 0.99732774

 $00:21:37.520 \longrightarrow 00:21:38.500$ and the relative

NOTE Confidence: 0.93359023

 $00:21:38.800 \longrightarrow 00:21:40.500$ benefit. So, yes, while tamoxifen

 $00:21:40.800 \longrightarrow 00:21:42.320$ reduces the chances of a

NOTE Confidence: 0.9984762

 $00:21:42.320 \longrightarrow 00:21:42.820$ cancer

NOTE Confidence: 0.9837339

00:21:43.359 --> 00:21:45.060 recurring by fifty percent,

NOTE Confidence: 0.9980532

00:21:45.705 --> 00:21:47.225 if someone's risk of a

NOTE Confidence: 0.9980532

00:21:47.225 --> 00:21:49.244 cancer recurring is really small,

NOTE Confidence: 0.9860714

 $00:21:49.945 \longrightarrow 00:21:51.544$ the benefit of tamoxifen is

NOTE Confidence: 0.9860714

 $00:21:51.544 \longrightarrow 00:21:52.605$ also really small.

NOTE Confidence: 0.996939

00:21:53.544 --> 00:21:55.325 And for many women,

NOTE Confidence: 0.996939

 $00:21:55.385 \longrightarrow 00:21:56.684$ it may not be enough to

00:21:59.680 --> 00:22:01.200 warrant staying on a medication

NOTE Confidence: 0.9973353

 $00:22:01.200 \longrightarrow 00:22:02.260$ that makes them miserable.

NOTE Confidence: 0.9863807

 $00:22:02.880 \longrightarrow 00:22:04.980$ Absolutely, and

NOTE Confidence: 0.9767668

00:22:05.359 --> 00:22:07.200 there are alternatives to

NOTE Confidence: 0.9767668

 $00:22:07.200 \longrightarrow 00:22:09.300$ tamoxifen as well.

NOTE Confidence: 0.9940627

 $00:22:10.320 \longrightarrow 00:22:12.080$ So there's another class of

NOTE Confidence: 0.9940627

 $00:22:12.080 \longrightarrow 00:22:14.260$ medicines called aromatase inhibitors.

00:22:15.545 --> 00:22:16.825 Going back to my baseball

NOTE Confidence: 0.9901441

 $00:22:16.825 \longrightarrow 00:22:17.325$ analogy,

NOTE Confidence: 0.991848

 $00:22:18.025 \longrightarrow 00:22:20.105$ aromatase inhibitors basically remove all

NOTE Confidence: 0.991848

00:22:20.105 --> 00:22:21.465 the baseballs. So you can't

NOTE Confidence: 0.991848

 $00:22:21.465 \longrightarrow 00:22:22.285$ catch a baseball

NOTE Confidence: 0.994488

 $00:22:22.665 \longrightarrow 00:22:23.705$ if there are no baseballs

NOTE Confidence: 0.994488

 $00:22:23.705 \longrightarrow 00:22:24.925$ to be caught. It

NOTE Confidence: 0.5744431

 $00:22:25.625 \longrightarrow 00:22:26.765$ basically prevents

NOTE Confidence: 0.9998214

 $00:22:28.390 \longrightarrow 00:22:29.990$ a woman from being able

NOTE Confidence: 0.9998214

 $00:22:29.990 \longrightarrow 00:22:31.050$ to make estrogen.

NOTE Confidence: 0.9997609

 $00:22:32.150 \longrightarrow 00:22:33.609$ It has to be given

NOTE Confidence: 0.9876689

 $00:22:33.910 \longrightarrow 00:22:35.850$ in conjunction with other medicines

NOTE Confidence: 0.9876689

00:22:35.990 --> 00:22:37.510 in very young women who

NOTE Confidence: 0.9876689

 $00:22:37.510 \longrightarrow 00:22:38.809$ have ovarian function.

NOTE Confidence: 0.93437153

 $00:22:40.625 \longrightarrow 00:22:41.825$ So that gets a little

 $00:22:41.825 \longrightarrow 00:22:42.885$ bit more complicated.

NOTE Confidence: 0.9990976 00:22:44.145 --> 00:22:44.645 But NOTE Confidence: 0.9993258

 $00:22:45.025 \longrightarrow 00:22:47.445$ these medicines reduce estrogen levels

NOTE Confidence: 0.999325800:22:47.505 --> 00:22:48.005 from

NOTE Confidence: 0.9998327

 $00:22:48.545 \longrightarrow 00:22:49.445$ a low level

NOTE Confidence: 0.99775976

 $00:22:49.825 \longrightarrow 00:22:52.005$ to a very low level,

NOTE Confidence: 0.99775976

 $00:22:52.225 \longrightarrow 00:22:52.650$ almost

NOTE Confidence: 0.9587157

 $00:22:53.050 \longrightarrow 00:22:54.190$ undetectable level.

00:22:56.010 --> 00:22:56.970 I was just gonna jump

NOTE Confidence: 0.902806

 $00:22:56.970 \longrightarrow 00:22:58.250$ in and say, you use

NOTE Confidence: 0.902806

 $00:22:58.250 \longrightarrow 00:22:58.990$ the baseball,

NOTE Confidence: 0.9547849

 $00:22:59.930 \longrightarrow 00:23:02.030$ metaphor. I typically

NOTE Confidence: 0.9547849

 $00:23:02.090 \longrightarrow 00:23:02.590$ describe

NOTE Confidence: 0.95183843

 $00:23:03.290 \longrightarrow 00:23:05.130$ giving one of these

NOTE Confidence: 0.95183843

 $00:23:05.130 \longrightarrow 00:23:05.630$ medicines

NOTE Confidence: 0.9838892

 $00:23:06.010 \longrightarrow 00:23:08.575$ along with suppressing ovarian function,

 $00:23:08.575 \longrightarrow 00:23:09.455$ which is what we have

NOTE Confidence: 0.9838892

 $00:23:09.455 \longrightarrow 00:23:10.494$ to do when we do

NOTE Confidence: 0.9838892

00:23:10.494 --> 00:23:12.195 it in a young woman,

NOTE Confidence: 0.95629096 00:23:12.734 --> 00:23:13.234 as NOTE Confidence: 0.9925815

00:23:14.255 --> 00:23:16.174 entering menopause by jumping off

NOTE Confidence: 0.9925815

 $00:23:16.174 \longrightarrow 00:23:17.234$ the high dive

NOTE Confidence: 0.9225358

00:23:17.695 --> 00:23:19.455 instead of instead of wading

NOTE Confidence: 0.9225358

 $00:23:19.455 \longrightarrow 00:23:20.515$ into the water.

NOTE Confidence: 0.9564114

 $00:23:20.950 \longrightarrow 00:23:22.070$ It's not

NOTE Confidence: 0.9564114

 $00{:}23{:}22.070 \dashrightarrow 00{:}23{:}23.510$ a slow process. It's not

NOTE Confidence: 0.9564114

 $00{:}23{:}23.510 \dashrightarrow 00{:}23{:}24.730$ a natural process.

NOTE Confidence: 0.9957504

 $00:23:25.270 \longrightarrow 00:23:26.890$ That's not what normally happens.

 $00:23:28.790 \longrightarrow 00:23:30.070$ So the side effects of

NOTE Confidence: 0.999376

 $00{:}23{:}30.070 \dashrightarrow 00{:}23{:}31.450$ those aromatase inhibitors

NOTE Confidence: 0.9291969

 $00:23:31.910 \longrightarrow 00:23:33.110$ is just kind of like

NOTE Confidence: 0.9291969

 $00:23:33.110 \longrightarrow 00:23:35.369$ menopause only more so.

 $00:23:35.715 \longrightarrow 00:23:38.135$ And you think about

NOTE Confidence: 0.99761266

 $00:23:38.355 \longrightarrow 00:23:39.255$ putting somebody

NOTE Confidence: 0.9996004

 $00:23:40.195 \longrightarrow 00:23:41.494$ who has normal

NOTE Confidence: 0.96933556

 $00:23:42.195 \longrightarrow 00:23:43.414$ ovaries, whose

NOTE Confidence: 0.9683209

00:23:44.035 --> 00:23:46.215 normal ovarian function has

NOTE Confidence: 0.9996707

 $00{:}23{:}46.595 \dashrightarrow 00{:}23{:}48.294$ fluctuating levels of hormones

NOTE Confidence: 0.95583594

 $00{:}23{:}48.674 \dashrightarrow 00{:}23{:}50.615$ and has normal menstrual cycles

NOTE Confidence: 0.9986154

 $00:23:51.210 \longrightarrow 00:23:52.109$ into menopause

NOTE Confidence: 0.88388073

 $00:23:52.410 \longrightarrow 00:23:53.230$ is like

NOTE Confidence: 0.9820747

 $00:23:53.850 \longrightarrow 00:23:54.890$ jumping in from the high

NOTE Confidence: 0.9820747

00:23:54.890 --> 00:23:56.250 dive or going from sixty

NOTE Confidence: 0.9820747

 $00:23:56.250 \longrightarrow 00:23:57.530$ miles an hour down to

NOTE Confidence: 0.9820747

 $00:23:57.530 \longrightarrow 00:23:58.030$ zero,

NOTE Confidence: 0.98806304

 $00:23:58.410 \longrightarrow 00:23:59.790$ it can be very jarring.

NOTE Confidence: 0.98806304

 $00:23:59.929 \longrightarrow 00:24:01.210$ And what's funny is for

NOTE Confidence: 0.98806304

 $00:24:01.210 \longrightarrow 00:24:01.950$ some people,

 $00{:}24{:}02.330 \dashrightarrow 00{:}24{:}04.330$ it's associated with almost no

NOTE Confidence: 0.9825732

 $00:24:04.330 \longrightarrow 00:24:04.830$ symptoms.

NOTE Confidence: 0.9992346

 $00:24:05.345 \longrightarrow 00:24:06.645$ And for other people

NOTE Confidence: 0.96493137

 $00:24:07.105 \longrightarrow 00:24:08.145$ and I don't know

NOTE Confidence: 0.96493137

00:24:08.145 --> 00:24:09.345 how to predict this, it's

NOTE Confidence: 0.96493137

 $00:24:09.505 \longrightarrow 00:24:10.805$ just miserable.

NOTE Confidence: 0.9435222

 $00:24:11.425 \longrightarrow 00:24:14.305$ I hope someday we

NOTE Confidence: 0.9435222

 $00:24:14.305 \longrightarrow 00:24:15.265$ get to a point where

NOTE Confidence: 0.9435222

 $00:24:15.265 \longrightarrow 00:24:16.325$ we're able to

NOTE Confidence: 0.9856833

00:24:17.185 --> 00:24:18.945 predict how someone is going

NOTE Confidence: 0.9856833

 $00:24:18.945 \longrightarrow 00:24:20.280$ to feel. And I don't

NOTE Confidence: 0.9856833

 $00:24:20.280 \longrightarrow 00:24:21.480$ know what we'll use to

NOTE Confidence: 0.9856833

 $00:24:21.480 \longrightarrow 00:24:22.540$ predict that. Maybe

NOTE Confidence: 0.93269515

 $00:24:23.000 \longrightarrow 00:24:24.460$ there will be some

NOTE Confidence: 0.93269515

 $00:24:24.680 \longrightarrow 00:24:25.180$ smart

 $00:24:25.800 \longrightarrow 00:24:27.800$ genome technology. Maybe there will

NOTE Confidence: 0.9806257

 $00:24:27.800 \longrightarrow 00:24:29.980$ be some prior menstrual history

NOTE Confidence: 0.9806257

 $00:24:30.200 \longrightarrow 00:24:31.480$ piece to all of this,

NOTE Confidence: 0.9806257

 $00:24:31.480 \longrightarrow 00:24:33.275$ but that's a

NOTE Confidence: 0.9806257

 $00:24:33.275 \longrightarrow 00:24:34.635$ hard conversation to have. The

NOTE Confidence: 0.9806257

 $00:24:34.635 \longrightarrow 00:24:35.275$ only way to know if

NOTE Confidence: 0.9806257

 $00:24:35.275 \longrightarrow 00:24:36.555$ someone's gonna have side effects

NOTE Confidence: 0.9806257

 $00:24:36.555 \longrightarrow 00:24:37.755$ is for them to try

NOTE Confidence: 0.9806257

00:24:37.755 --> 00:24:39.615 it and see what happens.

NOTE Confidence: 0.98692214

 $00:24:40.075 \longrightarrow 00:24:40.875$ And I think the

NOTE Confidence: 0.98692214

 $00{:}24{:}40.875 \dashrightarrow 00{:}24{:}42.155$ point you made that, you

NOTE Confidence: 0.98692214

 $00:24:42.155 \longrightarrow 00:24:43.595$ know, we give these medicines

NOTE Confidence: 0.98692214

 $00:24:43.595 \longrightarrow 00:24:44.895$ for a long time. So

NOTE Confidence: 0.98692214

 $00:24:45.100 \longrightarrow 00:24:46.859$ these are symptoms that may

NOTE Confidence: 0.98692214

 $00:24:46.859 \longrightarrow 00:24:48.379$ not be life threatening, but

NOTE Confidence: 0.98692214

00:24:48.379 --> 00:24:50.399 they're pretty annoying. And so

00:24:50.779 --> 00:24:52.480 putting up with them for

NOTE Confidence: 0.9778126

 $00:24:52.539 \longrightarrow 00:24:54.059$ a number of years for

NOTE Confidence: 0.9778126

 $00:24:54.059 \longrightarrow 00:24:55.440$ many women is often

NOTE Confidence: 0.99962234

 $00:24:56.139 \longrightarrow 00:24:56.639$ challenging

NOTE Confidence: 0.8851595

 $00:24:57.019 \longrightarrow 00:24:58.460$ to say the least.

NOTE Confidence: 0.8851595

 $00:24:58.460 \longrightarrow 00:24:58.960$ Now,

NOTE Confidence: 0.993254

 $00:24:59.815 \longrightarrow 00:25:01.515$ on the other hand, these

NOTE Confidence: 0.9478301

 $00:25:02.215 \longrightarrow 00:25:02.715$ hormonal,

NOTE Confidence: 0.85457987

 $00:25:03.095 \longrightarrow 00:25:03.595$ antihormonal,

NOTE Confidence: 0.9845817

 $00:25:04.135 \longrightarrow 00:25:05.895$ endocrine therapies, they're called all

NOTE Confidence: 0.9845817

 $00:25:05.895 \longrightarrow 00:25:07.275$ of these different things,

NOTE Confidence: 0.96531725

 $00:25:07.734 \longrightarrow 00:25:08.234$ sometimes,

NOTE Confidence: 0.98828954

 $00{:}25{:}09.335 \dashrightarrow 00{:}25{:}11.415$ are far more beneficial than

NOTE Confidence: 0.98828954

00:25:11.415 --> 00:25:12.715 treatments like chemotherapy,

NOTE Confidence: 0.9825856

 $00:25:13.175 \longrightarrow 00:25:14.375$ and it all depends on

 $00:25:14.375 \longrightarrow 00:25:16.359$ the tumor.

NOTE Confidence: 0.9825856

00:25:16.359 --> 00:25:17.340 That's exactly right.

NOTE Confidence: 0.94868577

 $00{:}25{:}18.840 \dashrightarrow 00{:}25{:}20.540$ Breast cancer isn't one disease.

NOTE Confidence: 0.9992015

 $00:25:21.080 \longrightarrow 00:25:23.660$ And it's this big spectrum

NOTE Confidence: 0.9908905

 $00:25:24.119 \longrightarrow 00:25:25.580$ of diseases,

NOTE Confidence: 0.9780778

 $00:25:26.200 \longrightarrow 00:25:27.640$ each of which is treated

NOTE Confidence: 0.9780778

 $00:25:27.640 \longrightarrow 00:25:28.760$ a little bit differently

NOTE Confidence: 0.9780778

 $00:25:28.760 \longrightarrow 00:25:29.800$ or even a lot bit

NOTE Confidence: 0.9780778

 $00:25:29.800 \longrightarrow 00:25:30.300$ differently.

NOTE Confidence: 0.99339265

00:25:31.765 --> 00:25:33.605 We make decisions based on

NOTE Confidence: 0.99339265

 $00:25:33.605 \longrightarrow 00:25:34.484$ a few things that the

NOTE Confidence: 0.99339265

 $00:25:34.484 \longrightarrow 00:25:35.845$ pathologist tells us when they

NOTE Confidence: 0.99339265

00:25:35.845 --> 00:25:36.805 look at the cancer under

NOTE Confidence: 0.99339265

 $00:25:36.805 \longrightarrow 00:25:38.005$ the microscope. We look at

NOTE Confidence: 0.99339265

 $00:25:38.005 \longrightarrow 00:25:39.525$ the grade of the cancer.

NOTE Confidence: 0.99339265

 $00:25:39.525 \longrightarrow 00:25:40.565$ That's a measure of how

 $00{:}25{:}40.565 {\:\dashrightarrow\:} 00{:}25{:}41.925$ aggressive the cells look under

NOTE Confidence: 0.99339265

 $00:25:41.925 \longrightarrow 00:25:42.505$ the microscope.

NOTE Confidence: 0.98137057

 $00:25:43.125 \longrightarrow 00:25:44.340$ We look at the

NOTE Confidence: 0.98137057

 $00:25:44.580 \longrightarrow 00:25:46.020$ percent of cells that have

NOTE Confidence: 0.98137057

 $00{:}25{:}46.020 \dashrightarrow 00{:}25{:}47.299$ the estrogen receptor or the

NOTE Confidence: 0.98137057

 $00:25:47.299 \longrightarrow 00:25:48.440$ progesterone receptor.

NOTE Confidence: 0.9678141

 $00:25:48.740 \longrightarrow 00:25:50.179$ And then there's this may

NOTE Confidence: 0.9678141

 $00{:}25{:}50.179 \dashrightarrow 00{:}25{:}51.059$ be where you were going

NOTE Confidence: 0.9678141

00:25:51.059 --> 00:25:52.580 with this question, but

NOTE Confidence: 0.9678141

00:25:52.580 --> 00:25:54.500 there's this test called the

NOTE Confidence: 0.9678141

 $00{:}25{:}54.500 --> 00{:}25{:}55.720 \ {\rm Oncotype \ test},$

NOTE Confidence: 0.9989798

 $00:25:57.220 \longrightarrow 00:25:58.039$ which is

NOTE Confidence: 0.9992135

 $00{:}25{:}58.865 \dashrightarrow 00{:}26{:}00.885$ a test of a patient's

NOTE Confidence: 0.9992135

 $00:26:00.945 \longrightarrow 00:26:02.165$ individual cancer.

NOTE Confidence: 0.99962866

 $00:26:02.945 \longrightarrow 00:26:04.645$ It looks at twenty one

 $00:26:04.945 \longrightarrow 00:26:05.445$ cancer

NOTE Confidence: 0.9644623

 $00:26:05.825 \longrightarrow 00:26:06.965$ related genes,

NOTE Confidence: 0.99573714

 $00:26:07.505 \longrightarrow 00:26:08.385$ and it looks at the

NOTE Confidence: 0.99573714

 $00:26:08.385 \longrightarrow 00:26:09.825$ levels of those genes and

NOTE Confidence: 0.99573714

 $00:26:09.825 \longrightarrow 00:26:11.540$ what levels they're expressed at.

NOTE Confidence: 0.99522185

 $00:26:11.920 \longrightarrow 00:26:13.040$ And based on the

NOTE Confidence: 0.99522185

 $00:26:13.040 \longrightarrow 00:26:14.400$ levels of those genes, it

NOTE Confidence: 0.99522185

 $00:26:14.400 \longrightarrow 00:26:16.340$ goes into this very complicated

NOTE Confidence: 0.99522185

00:26:16.640 --> 00:26:17.140 algorithm,

NOTE Confidence: 0.977784

 $00:26:18.080 \longrightarrow 00:26:19.440$ that some very smart people

NOTE Confidence: 0.977784

 $00:26:19.440 \longrightarrow 00:26:21.440$ developed many years ago. And

NOTE Confidence: 0.977784

 $00:26:21.440 \longrightarrow 00:26:23.119$ then it spits

NOTE Confidence: 0.977784

 $00:26:23.119 \longrightarrow 00:26:23.619$ out

NOTE Confidence: 0.9770003

 $00:26:23.920 \longrightarrow 00:26:25.904$ a number. And so you

NOTE Confidence: 0.9770003

 $00:26:25.904 \longrightarrow 00:26:26.404$ often,

NOTE Confidence: 0.9984243

 $00{:}26{:}27.184 \dashrightarrow 00{:}26{:}28.625$ in breast cancer circles, you

00:26:28.625 --> 00:26:29.664 may have people saying, well,

NOTE Confidence: 0.9984243

 $00:26:29.664 \longrightarrow 00:26:30.625$ what was your number? What

NOTE Confidence: 0.9984243

 $00:26:30.625 \longrightarrow 00:26:31.445$ was your number?

NOTE Confidence: 0.9844092

 $00:26:31.825 \longrightarrow 00:26:33.345$ The recurrent score is a

NOTE Confidence: 0.9844092

 $00:26:33.345 \longrightarrow 00:26:34.465$ number, and it's on a

NOTE Confidence: 0.9844092

 $00:26:34.465 \longrightarrow 00:26:35.825$ scale of zero to a

NOTE Confidence: 0.9844092

 $00:26:35.825 \longrightarrow 00:26:36.325$ hundred.

NOTE Confidence: 0.9992554

 $00:26:36.865 \longrightarrow 00:26:38.005$ Most breast cancers

NOTE Confidence: 0.99435663

 $00:26:38.659 \longrightarrow 00:26:40.520$ have low numbers under fifty.

NOTE Confidence: 0.9246885

 $00:26:42.260 \longrightarrow 00:26:43.779$ And then depending on that

NOTE Confidence: 0.9246885

00:26:43.779 --> 00:26:44.840 recurrent score,

NOTE Confidence: 0.99947506

 $00:26:45.140 \longrightarrow 00:26:46.039$ we can help

NOTE Confidence: 0.9968605

00:26:46.500 --> 00:26:48.520 decide whether somebody

NOTE Confidence: 0.9968605

 $00:26:48.580 \longrightarrow 00:26:50.820$ needs chemotherapy or benefits from

NOTE Confidence: 0.9968605

 $00:26:50.820 \longrightarrow 00:26:52.980$ chemotherapy or really doesn't benefit

 $00:26:52.980 \longrightarrow 00:26:53.799$ from chemotherapy.

NOTE Confidence: 0.9737443

 $00:26:54.215 \longrightarrow 00:26:55.095$ And a

NOTE Confidence: 0.9981585

00:26:55.415 --> 00:26:57.095 couple of major studies

NOTE Confidence: 0.9981585

 $00:26:57.095 \longrightarrow 00:26:58.135$ that have been published in

NOTE Confidence: 0.9981585

 $00:26:58.135 \longrightarrow 00:26:58.715$ the last

NOTE Confidence: 0.9952032

 $00:26:59.494 \longrightarrow 00:27:00.715$ five, seven years,

NOTE Confidence: 0.9996937

 $00:27:01.815 \longrightarrow 00:27:03.035$ have shown that

NOTE Confidence: 0.9718616

 $00:27:03.734 \longrightarrow 00:27:05.975$ oncotype recurrence scores of

NOTE Confidence: 0.9718616

 $00:27:05.975 \longrightarrow 00:27:07.515$ twenty five or lower

NOTE Confidence: 0.9998157

 $00:27:08.320 \longrightarrow 00:27:09.619$ are not associated

NOTE Confidence: 0.97133917

 $00:27:09.920 \longrightarrow 00:27:11.840$ with much benefit to

NOTE Confidence: 0.97133917

 $00:27:11.840 \longrightarrow 00:27:13.359$ chemotherapy. There are some caveats

NOTE Confidence: 0.97133917

 $00:27:13.359 \longrightarrow 00:27:14.560$ to that. There are

NOTE Confidence: 0.97133917

 $00:27:14.560 \longrightarrow 00:27:15.540$ some questions

NOTE Confidence: 0.9207199

 $00:27:15.840 \longrightarrow 00:27:17.540$ in young women in particular.

NOTE Confidence: 0.99872804

 $00:27:17.840 \longrightarrow 00:27:19.380$ But in most women,

 $00:27:19.920 \longrightarrow 00:27:20.900$ low oncotypes,

NOTE Confidence: 0.9977541

 $00:27:22.645 \longrightarrow 00:27:23.945$ then don't benefit

NOTE Confidence: 0.9668395

 $00:27:24.325 \longrightarrow 00:27:26.405$ much from chemotherapy, if at

NOTE Confidence: 0.9668395 00:27:26.405 --> 00:27:26.905 all. NOTE Confidence: 0.9800057

 $00:27:27.285 \longrightarrow 00:27:28.885$ And it's so different from

NOTE Confidence: 0.9800057

 $00:27:28.885 \longrightarrow 00:27:30.005$ the way it was thirty

NOTE Confidence: 0.9800057

 $00:27:30.005 \longrightarrow 00:27:31.705$ years ago where, in fact,

NOTE Confidence: 0.99676

 $00:27:32.085 \longrightarrow 00:27:33.605$ it was one size fits all.

NOTE Confidence: 0.99676

00:27:33.605 --> 00:27:35.429 Right. And, you know,

NOTE Confidence: 0.99676

 $00{:}27{:}35.429 \dashrightarrow 00{:}27{:}37.590$ we didn't differentiate between different

NOTE Confidence: 0.99676

 $00:27:37.590 \longrightarrow 00:27:39.290$ cancers. We gave everybody

NOTE Confidence: 0.92140317

 $00:27:39.990 \longrightarrow 00:27:41.609$ essentially the same treatment,

NOTE Confidence: 0.9987122 00:27:42.390 --> 00:27:42.890 and NOTE Confidence: 0.99852836 00:27:43.429 --> 00:27:43.929 it's NOTE Confidence: 0.9973558

 $00:27:44.230 \longrightarrow 00:27:44.730$ come

 $00:27:45.030 \longrightarrow 00:27:47.590$ so very far. And at

NOTE Confidence: 0.98779726

 $00:27:47.590 \longrightarrow 00:27:48.490$ the same time,

NOTE Confidence: 0.9991568

 $00:27:49.575 \longrightarrow 00:27:50.855$ not only are we able

NOTE Confidence: 0.9991568 00:27:50.855 --> 00:27:51.355 to NOTE Confidence: 0.9982797

 $00:27:52.855 \longrightarrow 00:27:54.135$ allow people to live with

NOTE Confidence: 0.9982797

 $00:27:54.135 \longrightarrow 00:27:55.195$ fewer side effects,

NOTE Confidence: 0.993509

00:27:55.815 --> 00:27:56.315 but NOTE Confidence: 0.94546086

00:27:56.775 --> 00:27:58.695 we're certainly doing no worse

NOTE Confidence: 0.94546086

 $00:27:58.695 \longrightarrow 00:28:00.215$ in terms of overall outcomes.

NOTE Confidence: 0.94546086 00:28:00.215 --> 00:28:00.715 And

NOTE Confidence: 0.9611629

 $00{:}28{:}01.415 --> 00{:}28{:}02.775$ I think just as a

NOTE Confidence: 0.9611629

 $00:28:02.775 \longrightarrow 00:28:03.434$ sort of

NOTE Confidence: 0.989106

 $00:28:03.930 \longrightarrow 00:28:05.630$ give people a general sense,

NOTE Confidence: 0.98930514

 $00{:}28{:}06.170 \dashrightarrow 00{:}28{:}07.610$ what proportion of women who

NOTE Confidence: 0.98930514

 $00:28:07.610 \longrightarrow 00:28:09.450$ have breast cancer go on

NOTE Confidence: 0.98930514

 $00{:}28{:}09.450 \dashrightarrow 00{:}28{:}11.369$ and live a normal

 $00:28:11.369 \longrightarrow 00:28:12.190$ life afterwards?

NOTE Confidence: 0.82744133

00:28:13.130 --> 00:28:14.910 A large proportion,

NOTE Confidence: 0.9321587

00:28:15.369 --> 00:28:17.130 eighty, eighty five percent go

NOTE Confidence: 0.9321587

 $00:28:17.130 \longrightarrow 00:28:18.490$ on and never

NOTE Confidence: 0.9321587

 $00:28:18.490 \longrightarrow 00:28:19.790$ hear back from this cancer,

NOTE Confidence: 0.9321587

 $00:28:19.984 \longrightarrow 00:28:21.125$ from their original cancer.

NOTE Confidence: 0.9970617

 $00:28:21.425 \longrightarrow 00:28:22.484$ And even women

NOTE Confidence: 0.99685735

 $00:28:22.865 \longrightarrow 00:28:23.984$ who do hear back from

NOTE Confidence: 0.99685735

 $00:28:23.984 \longrightarrow 00:28:24.645$ the cancer,

NOTE Confidence: 0.9961996

00:28:25.505 --> 00:28:27.045 whose cancer comes back

NOTE Confidence: 0.93331754

 $00:28:27.425 \longrightarrow 00:28:28.545$ whether in the breast or

NOTE Confidence: 0.93331754

00:28:28.545 --> 00:28:29.984 somewhere else, go on to

NOTE Confidence: 0.93331754 00:28:29.984 --> 00:28:30.484 live

NOTE Confidence: 0.9559727

 $00:28:30.785 \longrightarrow 00:28:32.705$ many, many years because of

NOTE Confidence: 0.9559727

 $00:28:32.705 \longrightarrow 00:28:33.869$ the advances in treatment.

00:28:34.510 --> 00:28:36.109 Doctor Sarah Schellhorn is an

NOTE Confidence: 0.9488589

 $00{:}28{:}36.109 \dashrightarrow 00{:}28{:}37.790$ associate professor of medicine and

NOTE Confidence: 0.9488589

 $00:28:37.790 \longrightarrow 00:28:39.390$ medical oncology at the Yale

NOTE Confidence: 0.9488589

 $00:28:39.390 \longrightarrow 00:28:40.370$ School of Medicine.

NOTE Confidence: 0.9671303

 $00:28:40.910 \longrightarrow 00:28:42.190$ If you have questions, the

NOTE Confidence: 0.9671303

 $00:28:42.190 \longrightarrow 00:28:43.250$ address is canceranswersyale

NOTE Confidence: 0.92269415

 $00{:}28{:}44.110 \dashrightarrow 00{:}28{:}46.190$ dot edu, and past editions

NOTE Confidence: 0.92269415

 $00:28:46.190 \longrightarrow 00:28:47.725$ of the program are available

NOTE Confidence: 0.92269415

 $00:28:47.725 \longrightarrow 00:28:49.164$ in audio and written form

NOTE Confidence: 0.92269415

 $00:28:49.164 \longrightarrow 00:28:50.524$ at yale cancer center dot

NOTE Confidence: 0.92269415 00:28:50.524 --> 00:28:51.024 org. NOTE Confidence: 0.98670334

00:28:51.325 --> 00:28:52.284 We hope you'll join us

NOTE Confidence: 0.98670334

 $00:28:52.284 \longrightarrow 00:28:53.325$ next time to learn more

NOTE Confidence: 0.98670334

 $00{:}28{:}53.325 \to 00{:}28{:}54.784$ about the fight against cancer.

NOTE Confidence: 0.94281024

 $00:28:55.164 \longrightarrow 00:28:56.764$ Funding for Yale Cancer Answers

NOTE Confidence: 0.94281024

 $00:28:56.764 \longrightarrow 00:28:58.524$ is provided by Smilow Cancer

00:28:58.524 --> 00:28:59.024 Hospital.